

BAR&BEVERAGE Dispensing North America

CONSISTENT QUALITY EVERY TIME



CO	NTENT	PAGE NO
•	Introduction	4
•	T Tower	8
•	Column Tower	10
•	BrewXpipe Bridge Tower	12
•	BrewXpipe Wing Tower	13
•	BrewXpipe Wall Tower	13
•	BrewXPipe Ceiling Tower	14
•	Over Pass Tower	14
•	Overpass Wall mount Tower	16
•	Wall LampTower	16
•	Epic Tower	17
•	Inspire Tower	18
•	Square Tower	18
•	Cold Brew Beer Tower	19
•	Tower Mounting Extensions	20
•	Beer Tower Accessories	20
•	Beer Shanks	21
•	Medallion	22
•	Beer Tap Handles	22
•	Beer Shanks	23
•	Drip Tray	25
•	Drip Tray Accessories	28
•	Low Profile D System Keg Coupler	30
•	Beer Line Fittings	31
•	Beverage Gas Management	31
•	Home Brewing	32
•	Kegerator Conversion Kits	38









NEW BREAKTHROUGH TECHNOLOGY GIVES NEW DIMENSIONS TO BEER DISPENSING


More closer to tap • More efficient • Easy maintenance







- 100% stainless steel contact with beverage.
- Easy cleaning of beer lines.
- Patent pending technology.



- Three level sealing with specially designed shank.
- Reduce maintenance cost and time in changing worn off seals by just replacing the shank
- Eliminate need for professional in case of seals worn off.
- Eliminate need for visiting dispense tower location to replace leaking cut / worn seals.

Glycol recirculation copper tubing has two point contact with cold block which is closer to shank and towards tap for quick cooling transfer.



- Specially designed brass cold block for optimum cooling at the point of dispense.
- Cold block designed for more contact with copper recirculation pipe.






A

n


T Towers





Part#	Product Name	Faucets	Finish	
C1303	4" T Tower - 3 Faucets - Brushed Stainless - Glyco Cold Technology	3	Brushed Stainless	
C1304	4" T Tower - 4 Faucets - Brushed Stainless- Glyco Cold Technology	4	Brushed Stainless	
C1385	4" T Tower - 5 Faucets - Brushed Stainless - Glyco Cold Technology	5	Brushed Stainless	
C1004	4" T Tower - 10 Faucets - Brushed Stainless - Glyco cold Technology	10	Brushed Stainless	
C1006	4" T Tower - 12 Faucets - Brushed Stainless - Double Pedestal -	12	Brushed Stainless	
	Glyco Cold Technology			








Part#	Product Name	Faucets	Finish
C1005	T Tower - 5 Faucets - Brushed Stainless - Air Cooled	5	Brushed Stainless
C558	T Tower - 8 Faucets - Brushed Stainless - Air Cooled	8	Brushed Stainless




T Towers





Part#	Product Name	Faucets	Finish
C1001	4" T Tower - 10 Faucets - Brushed Stainless - Double Pedestal - Air cooled	10	Brushed Stainless
C1003	4" T Tower - 12 Faucets - Brushed Stainless - Double Pedestal - Air Cooled	12	Brushed Stainless




Part#	Product Name	Faucets	Finish	
C1000	T Tower - 10 Faucets - Brushed Stainless - Double Pedestal - Glycol Recirculation Loop	10	Brushed Stainless	
C1002	T Tower - 12 Faucets - Brushed Stainless - Double Pedestal - Glyco Recirculation Loop	12	Brushed Stainless	




T Towers





Part#	Product Name	Faucets	Finish
C1510	3" T Tower - 4 Faucets- SS Polished with 100% Stainless Steal Contact- Air Cooled	4	SS Polished



Column Towers



C1268


Part# Product Name	Faucets	Finish
3"Column Beer Tower – 2 Faucets – SS Polished – Glyco Cold Technology (Without faucet)	2	SS Polished
C1269 4" Column Beer Tower – SS Polished – Glyco Cold Technology (without faucet)	3	SS Polished




Column Towers







Part#	Product Name	Faucets	Finish
C1031	3" Column Beer Tower - 1 Faucets with 100% SS Contact -	1	Brushed Stainless
	Brushed Stainless - Air Cooled		
C1173	3" Column Tower - 1 Faucets With 1/4" Column Shank -	1	SS Polished
	Air Cooled		
C1032	3" Column Beer Tower - 2 Faucets with 100% SS Contact -	2	Brushed Stainless
	Brushed Stainless - Air Cooled		
C1552	3" Column Tower - 2 Faucets with illumination-	2	Brushed Stainless
	Air Cooled		
C1033	3" Column Beer Tower - 3 Faucets with 100% SS Contact -	3	Brushed Stainless
	Brushed Stainless - Air Cooled		



Column Towers




Part#	Product Name	Faucets	Finish
C1523	4" Column Tower - 3 Faucets with 1/4" Column Shank & 3/16" Tubing - Air Cooled	3	SS Polished
C2020	4" Column Tower - 3 Flow Control Taps - Air Cooled	3	SS Polished
C1069	4" Column Beer Tower - 4 Faucets at 90 Degree Angle - SS Polished - Air Cooled	4	SS Polished
C1541	4" Column Tower - 4 Faucets with 1/4" Column shank - Air Cooled	4	SS Polished




BrewXpipe Bridge Towers







Part#	Product Name	Faucets	Finish	
C1118	BrewXpipe Tower - 8 Faucets - Brushed Stainless - Glyco Cold Technology	8	Brushed Stainless	
C1085	BrewXpipe Tower - 8 Faucets - SS Polished - Glyco Cold Technology	8	SS Polished	
C1119	BrewXpipe Tower - 10 Faucets - Brushed Stainless - Glyco Cold Technology	10	Brushed Stainless	
C1086	BrewXpipe Tower - 10 Faucets - SS Polished - Glyco Cold Technology	10	SS Polished	
C1120	BrewXpipe Tower - 12 Faucets - Brushed Stainless - Glyco Cold Technology	12	Brushed Stainless	
C1087	BrewXpipe Tower - 12 Faucets - SS Polished - Glyco Cold Technology	12	SS Polished	




BrewXpipe Elbow Tower



Part#	Product Name	Faucets	Finish
C1097	BrewXpipe Elbow Tower - 3 Faucets - Brushed Stainless - Glyco Cold Technology	3	Brushed Stainless
C1088	BrewXpipe Elbow Tower - 3 Faucets - SS Polished - Glyco Cold Technology	3	SS Polished
C1098	BrewXpipe Elbow Tower - 4 Faucets - Brushed Stainless - Glyco Cold Technology	4	Brushed Stainless
C1089	BrewXpipe Elbow Tower - 4 Faucets - SS Polished - Glyco Cold Technology	4	SS Polished
C1099	BrewXpipe Elbow Tower - 6 Faucets - Brushed Stainless - Glyco Cold Technology	6	Brushed Stainless
C1090	BrewXpipe Elbow Tower - 6 Faucets - SS Polished - Glyco Cold Technology	6	SS Polished



BrewXpipe Wing Tower




Part#	Product Name	Faucets	Finish		
C1104	BrewXpipe Wing Tower - 6 Faucets - Brushed	6	Drughad Ctainless		
C1104	Stainless - Glyco Cold Technology	6	Brushed Stainless		
C1091	BrewXpipe Wing Tower - 6 Faucets - SS Polished -		_	SS Polished	
C1091	Glyco Cold Technology	6	33 Polished		
C110F	BrewXpipe Wing Tower - 8 Faucets - Brushed	0	0	Durrale and Chairele an	
C1105	Stainless - Glyco Cold Technology	8	Brushed Stainless		
C1002	BrewXpipe Wing Tower - 8 Faucets - SS Polished -	0	SS Polished		
C1092	Glyco Cold Technology	8	SS Polished		

BrewXpipe Wall Towers










Part#	Product Name	Faucets	Finish	
C1095	BrewXpipe Wall Tower - 20 Faucets - Brushed Stainless - Glyco Cold Technology	20	Brushed Stainless	
C1093	BrewXpipe Wall Tower - 20 Faucets - SS Polished - Glyco Cold Technology	20	SS Polished	
C1224	BrewXpipe Wall Tower - 24 Faucets - SS Polished - Glyco Cold Technology	24	SS Polished	
C1096	BrewXpipe Wall Tower - 40 Faucets - Brushed Stainless - Glyco Cold Technology	40	Brushed Stainless	
C1094	BrewXpipe Wall Tower - 40 Faucets - SS Polished - Glyco Cold Technology	40	SS Polished	



BrewXPipe Ceiling Tower






Part#	Product Name	Faucets	Finish
C1265	BrewXpipe Ceiling Tower - 64 Faucets - Brushed Stainless - Glyco Cold Technology	64	Brushed Stainless
1264	BrewXpipe Ceiling Tower - 64 Faucets - SS Polished - Glyco Cold Technology	64	SS Polished

Over Pass Towers








Part#	Product Name	Faucets	Finish	
C1408	Overpass Tower - 8 Faucets - SS Polished - Glyco Cold Technology	8	SS Polished	
C1410	Overpass Tower - 10 Faucets - SS Polished - Glyco Cold Technology	10	SS Polished	
C1412	Overpass Tower - 12 Faucets - SS Polished - Glyco Cold Technology	12	SS Polished	
C1414	Overpass Tower - 14 Faucets - SS Polished - Glyco Cold Technology	14	SS Polished	
C1416	Overpass Tower - 16 Faucets - SS Polished - Glyco Cold Technology	16	SS Polished	



Over Pass Towers








Part#	Product Name	Faucets	Finish
21404	Overpass Tower - 6 Faucets - SS Polished - Air Cooled	6	SS Polished
21405	Overpass Tower - 8 Faucets - SS Polished - Air Cooled	8	SS Polished
1406	Overpass Tower - 10 Faucets - SS Polished - Air Cooled	10	SS Polished
1407	Overpass Tower - 12 Faucets - SS Polished - Air Cooled	12	SS Polished








Part#	Product Name	Faucets	Finish
C1422	Overpass T Tower - 4 Faucets - SS Polished -	4	CC Deliele ed
C1433	Glyco cold Technology	4	SS Polished
C1 42 4	Overpass T Tower - 6 Faucets - SS Polished -	_	CC Daliahaad
C1434	Glyco cold Technology 6	SS Polished	
21.425	Overpass T Tower - 8 Faucets - SS Polished -	0	8 SS Polished
C1435	Glyco cold Technology	8	
C1426	Overpass T Tower - 10 Faucets - SS Polished -	10	CC Deliele ed
C1436	Glyco cold Technology	10	SS Polished




Overpass Wall mount Towers



Part#



	Product Name	Faucets	Finish	
C1425	Overpass Wall Mount Tower - 6 Faucets - SS Polished - Glyco Cold Technology	6	SS Polished	
C1426	Overpass Wall Mount Tower - 8 Faucets - SS Polished - Glyco cold Technology	8	SS Polished	
C1427	Overpass Wall Mount Tower - 10 Faucets - SS Polished - Glyco cold Technology	10	SS Polished	
C1428	Overpass Wall Mount Tower - 12 Faucets - SS Polished - Glyco cold Technology	12	SS Polished	
C1429	Overpass Wall Mount Tower - 14 Faucets - SS Polished - Glyco cold Technology	14	SS Polished	
C1430	Overpass Wall Mount Tower -16 Faucets - SS Polished - Glyco cold Technology	16	SS Polished	



Wall Lamp Tower



Part#	Product Name	Faucets	Finish
C1200	Wall lamp Beer Tower - 1 Faucets - SS Polished - Air Cooled	1	SS Polished
C1203	Wall lamp Beer Tower - 1 Faucets - Vibrant Gold Finish Air Cooled	1	Vibrant Gold
C1201	Wall lamp Beer Tower - 2 Faucets - SS Polished - Air Cooled	2	SS Polished
C1204	Wall lamp Beer Tower - 2 Faucets - Vibrant Gold Finish - Air Cooled	2	Vibrant Gold
C1202	Wall lamp Beer Tower - 3 Faucets - SS Polished - Air Cooled	3	SS Polished
C1205	Wall lamp Beer Tower - 3 Faucets - Vibrant Gold Finish - Air Cooled	3	Vibrant Gold




Epic Tower





C1044



Part#	Product Name	Faucets	Finish	
C1044	Epic Tower - 1 Faucet - Chrome Plated Brass - Glyco Cold Technology	1	Polished Chrome	
C1045	Epic Tower - 1 Faucet - Vibrant gold Finish - Glyco Cold Technology	1	Vibrant Gold	



Epic Tower




Part#	Product Name	Faucets	Finish
C1042	Epic Tower - 1 Faucet - Chrome Plated Brass - Air Cooled	1	Polished Chrome
C1043	Epic Tower - 1 Faucet - Vibrant Gold Finish - Air Cooled	1	Polished Chrome




Inspire Tower





Part#	Product Name	Faucets	Finish	
C1533	Inspire Tower - 3 Faucets - Chrome Plated Brass - Glyco Cold Technology	3	Chrome Plated Brass	
C1525	Inspire Tower - 5 Faucets - Chrome Plated Brass - Glyco Cold Technology	5	Chrome Plated Brass	
C1527	Inspire Tower -7 Faucets - SS Polished - Glyco Cold Technology	7	SS Polished	
C1537	Inspire Tower - 7 Faucets - Chrome Plated Brass - Glyco Cold Technology	7	Chrome Plated Brass	

Square Tower






Part#	Product Name	Faucets	Finish
C945	Sublime Tower – 1 Faucets – Chrome Plated – Glyco Cold Technology	1	Chrome Plated Brass
C946	Sublime Tower – 2 Faucets -Chrome Plated – Glyco Cold Technology	2	Polished Chrome




Square Tower





Part#	Product Name	Faucets	Finish	
C933	Sublime Tower - Single Faucet - SS Polished - Air Cooled	1	SS Polished	




Cold Brew Beer Tower



Part#	Product Name	Faucets	Finish	
C1029	Cold Brew Beer Tower - 1 Faucet With - 100% SS Contact - SS Polished - Air Cooled	1	SS Polished	
C1030	Cold Brew Beer Tower - 2 Faucets - With 100% SS Contact - SS Polished - Air Cooled	2	SS Polished	



Tower Mounting Extensions





Part#	Product Name	Size	Finish
C2515	5" Inch Height Extender for 3" Tower - SS Polished	5"	SS Polished
C2516	5" Inch Height Extender for 3" Tower - Brushed Copper	5"	Brushed Copper
C2517	5" Inch Height Extender for 3" Tower - Brushed SS	5"	Brushed Stainless
C2518	2" Inch Height Extender for 3" Tower - SS Polished	2"	SS Polished

Beer Tower Accessories



Part#	Product Name	
C2503	3" Tower Cap Copper Finish	



Part#	Product Name	Material	Finish	
C2525	2.5" base screw cover Flange	Stainless Steal	SS Polished	
C2530	3" base screw cover Flange	Stainless Steal	SS Polished	





Part#	Product Name	
C2561	3" Tower Base Convertor For Thru Counter Connection"	
C2634	4" Wide x 20 Meters Aluminum Foil Tape 30 Micron	

Beer Shanks



Part#	Product Name	
C648	Column Shank Assembly With Big Nipple	
C649	SS Column Shank Assembly With Big Nipple	
C657	PVD Brass Column Shank Assembly -3/16" bore ID x 1.75" long (short nipple)	
C825	Column Shank Assembly For Square Tower	



Medallion



C497

Part#	Product Name	
C497	Budweiser Medallion - 80 mm	



C352

Part#	Product Name
C352	Ice Becks Medallion - 80 mm

Beer Tap Handles







C3511

Part#	Product Name	
C3510	Standard Chrome Plated Brass Knob-PVD	
C3511	Stout Tap Knob	



Beer Shanks



Part#	Product Name	
C903	3" Special Shank For Jockey Box	
C910	3" Special Shank For Jockey Box – Plated Brass	



C418

Product Name	
3-1/2" Nipple Shank Assembly with MFL Fitting	
4-1/2" Nipple Shank Assembly with MFL Fitting	
SS Nipple Shank 4-1/2" Bore 3/16"	
Nipple Shank With C.P Straight Flange	
2-1/2" SS Nipple Shank With 3/16" Bore With SS Flange	
	3-1/2" Nipple Shank Assembly with MFL Fitting 4-1/2" Nipple Shank Assembly with MFL Fitting SS Nipple Shank 4-1/2" Bore 3/16" Nipple Shank With C.P Straight Flange



Part#	Product Name
C338	SS European Shank (Without Locking Nut) - 1/4" Bore x 2" long
C345	Stainless Steel Shank With John Guest Push In Fitting (Tube OD : 3/16")
C440	Stainless Steel Beer Shank Assembly 1/4" Bore x 6 -1/8" (GROOVED)
C3234	SS Standard Anti Rotation Shank- 5-1/8 - 1/4" Bore
C2270	1-1/2" SS Shank (5/8" BSP) with 5/16" JG fitting Assembly



Part#	Product Name	
C792	Coil Cooler Wall Coupling - Chrome Plated Brass 3"	
	Ice Box Assembly With 3/8" Bore	
C3017	Stainless Steel Shank 1/2" X 1/2"	
C3142	10-1/8" Stainless Steel Shank 304 Shank x 1/4" Bore	
C849	Growler Filler ABS Spout For Mini Keg - 5 Litre	





Part#	Product Name	
C276	Spanish Beer Tap Shank	
C325	Square Tower Flat Flange Shank Assembly	
C658	PVD Vibrant Gold Colour Shank Assembly (SHORT NIPPLE) - 3/16bore ID X 1.75" long	
C666	3-1/8" Standard Shank (1/4" Bore) with 3/8" Tubing JG Fitting	
C915	24" Wall Mount Shank Assembly with Flow Control Tap	



Part#	Product Name	Material	Finish	
C2666	4" Stainless Steel Column Shank Assembly 3/16" Bore	Stainless Steal	Brushed Stainless	
C2667	4" Stainless Steel Column Shank Assembly 3/16" Bore	Stainless Steal	Vibrant Gold	
C2668	Chrome Plated Brass 4" Column Shank Assembly -			
	3/16" Bore ID x 1.75" long	Brass	Chrome Plated	
C2669	Chrome Plated Brass 4" Column Shank Assembly -			
	3/16" Bore ID x 1.75" long	Brass	Vibrant Gold	



Drip Tray

Universal Consideration

Drip Tray



C	U	U	0	

Part#	Product Name	
C063	Counter top iced tower tray -	
	410mm x 410mm	

C052

Deep Drip Tray

Part#	Product Name
C797	Universal Consideration Drip Tray Stainless Steel
C798	Universal Consideration Drip Tray Golden
C052	Universal Condensation drip tray Plastic



C4000

Part#	Product Name	
C4000	5.7" x 4.6" Deep Drip Tray – Brushed Stainless –	
C4000	Without Drain	
C4001	9.5" x 5.6" Deep Drip Tray – Brushed Stainless –	
C4001	Without Drain	

Plastic Drip Tray



Part#	Product Name	
C4004	25cm X 16cm Plastic Drip Tray - without drain	
C4005	30cm X 18cm Plastic Drip Tray - without drain	



Aluminium Drip Tray


Flush Mount Drip Tray



C4006


Part#	Product Name	
C4006	12"x 7 Aluminium Drip Tray (Brushed Copper)	

Rinser Drip Trays






Product Name



Part#	Product Name	
C4014	14 * 8" Surface Mount - Cut out - Stainless Steel - 4" Column	
C4015	14 * 8" Surface Mount - Cut out - Stainless Steel - 4" Column - w/drain	









Surface Mount Drain Tray

Part#	Product Name	
C4027	24" x 7" Surface Drip Tray - SS Polished - Without Drain	



Surface Drip Tray





C4224, C4230, C4239, C4245

Part#	Product Name
C4224	24" X 8" Surface Drip Tray - Brushed Stainless - With Drain
C4230	30" x 8" Surface Drip Tray - Brushed Stainless - With Drain
C4239	39" x 8" Surface Drip Tray - Brushed Stainless - With Drain
C4245	45" x 8" Surface Drip Tray - Brushed stainless - With Drain



Counter Mount Glass Rinser Tray

Part#	Product Name	
C4060	6-3/8" x 6-3/8" Counter Mount Glass Rinser Tray - Brushed Stainless - With Drain	

Drip Tray Accessories



Part#	Product Name	
C795	Pitcher Rinser Rebuild kit with spring	









Part#	Product Name	
C4011	Glass Rinser Spray Assembly without	
C4011	Punched Plate	

Part#	Product Name
C4016	Stainless Steel Replacement
	Disk for Rinser Assembly



Part#	Product Name	
C4112	Beer hose assembly with beer nut on	
	both ends 3/16" bore - 100% ss contact	




Part#	Product Name	
C4134	Replacment Metal Disk for Rinser	





Part#	Product Name	
C4135	Replacement Rubber Boots for Krome	
	Dispense Stainless Rinser Disk	





Pressure Relief valve Included For Safety , Releases at $56-65\ PSI$ **Specifications:**

- Low profile design for tight clearance installations.
- Compatible with all domestic brand keg.
- Fits D System keg valves.
- 100% SS Contact

Product Name	: Low Profile D System Keg Coupler
Gas Inlet Connection	: 5/16" I.D. Gas Hose
Body Material	: Stainless Steel
Probe Material	:304 Stainless Steel
Beer Outlet Connection	:3/16" I.D. Beer Hose
Handle Style	:Twist
Height	2-3/16"



Beer Line Fittings







Part#	Product Name	
C904	Stainless Steel 304 Splicer (Pipe Joiner)-3/16"x5/16"	
C905	Stainless Steel 304 Splicer (Pipe Joiner)-3/16"x3/8"	
C906	Stainless Steel 304 Splicer (Pipe Joiner)-1/4"x5/16"	
C907	Stainless Steel 304 Splicer (Pipe Joiner)-5/16"x5/16"	
C908	Stainless Steel 304 Splicer (Pipe Joiner)-5/16"x3/8"	
C909	Stainless Steel 304 Splicer (Pipe Joiner)-3/8"x1/2"	

Beverage Gas Management





Part#	Product Name
C5600	C02 Pressure Tester for D and S system



Part#	Product Name	
C5638	Gas Distributor 2 Way- 5/16" Inlet & 1/4" Mfl Connection Check Valve	
C5639	Gas Distributor 3 Way- 5/16" Inlet & 1/4" Mfl Connection Check Valve	
C5640	Gas Distributor 4 Way- 5/16" Inlet & 1/4" Mfl Connection Check Valve	



KETTLE SPIDER

Features

Made of 304 Stainless Steel.

· Adjustable anti-slip silicone sleeves.

• Adjustable arms for smaller or larger brew kettles.

. The Kettle Spider fit mostly in all kettles.

· Attach your own nylon hops bag.


• Makes Hop Additions Easier.

• It is open throughout the kettle.

Please note that this item does not include a mesh bag.

(Nylon Hops Bag - C771, C772, C773)








NEW

C851



Help your customers to make their brew day easier and their additions more efficient with a Kettle Spider. Just attach a reusable nylon mesh bag with drawstring and use the Kettle Spider to steep grains in an extract batch or to take the mess and burns out of multiple hops additions in the kettle. We recommend using The Kettle Spider with our reusable Krome nylon hops bag with string. The Kettle Spider can also be used with regular hops bags attached around the ring.

Home Brewing







Part#	Product Name	
C897	36" Mash Paddle Without Hole	
C898	36" Mash Paddle With Hole	
C6531	36" Mash Paddle With Holes	
C6532	36" Mash Paddle Without Holes	
C6528	28" Mash Paddle plastic	
C6624	24" Mash Paddle plastic	
C6627	24" Plastic brew spoon	
C6628	28" Plastic brew spoon	

C854

Part#	Product Name	
C793	Stainless Steel Strainer For Pale Bucket	
C851	Kettle Spider for Hops	
C854	Universal Poppet Valve	



Hydrometers and Test Jars

Part#	Product Name	
C918	Gas Dip Tube – Gas In (38mm)	
C5220	1" Dial Face thermometer 12' Long	



Co	300	
Part#	Product Name	
C6500	Hydrometer Test Jar	
C6501	3 pieces airlock	
C6502	Large Grommet for Airlock C6501	
C6503	1/2" OD x 50' Length SS Wort Chiller With	
	Garden Hose Fittings	
C6521	AirLock With Small Universal Stopper- Set of 2	





Part#	Product Name	
C6505	Small Universal Stopper - Drilled	
C6506	Small Universal Stopper - Solid	
C6507	Medium Universal Stopper - Drilled	
C6508	Large Universal Stopper - Drilled	
C6517	Drilled Rubber Stopper	

C6520



Part# Product Name
C6518 Dip Tube for Brew Kettle



Part# Product Name
C6520 INLINE AIR FILTER



Part#	Product Name	
C6509	Chrome Plated Brass Adapter To Connect Faucet &	
	Quick Disconnect With Coupling Nut	
C6510	Growler With Handle - 64 Oz	
C6512	Large Auto Siphon clamp - 1/2"	
C6513	Stainless Steel Hop Steeper ball 3-Inch	







Part#	Product Name	
C6523	Replacement seals for Soda stream adapter (set of 2 pcs)	
C6529	Beer bottle Crown Caps 29mm	
C6530	SS Carbonation Cap	



C6533

Part#	Product Name	
C6533	Large Nylon Mesh Straining Bag - 26"x 26"	
C6538	Large Auto Siphon clamp - 3/8"	



Part#	Product Name	
C6555	Carbonation stone for 1/4" tubing - 0.5 micron ss316	
C6556	STAINLESS OXYGEN WAND WITH .5 MICRON	
	DIFFUSION STONE x 16" long tubing fits 3/16" id hose	
C6612	TC tailpiece 1/2" - Stainless steel 304	
C6613	TC Gasket 1/2" - BUNA N - 70 Duro -	
C6614	Grolsch Gaskets - X100 pcs	
C6906	Plug adapter 1/4" NPT x 19/32" keg post	
C6912	Brew Thermometer 12" stem x 2.6" dia	





Part#	Product Name
C5210	1" dial thermometer 0-220 f



Part#	Product Name
i di tii	i i oddet i tallie
C971	Igloo Cooler HLT Fiting



Part#	Product Name	
C6514	S Shape Airlock	
C6516	Manual Beer Bottle Capper	



Universal Rubber Stoppers/Bung








C6505

C6506

C6508

Part No.	Part Name	Top Dia	Bottom Dia	Center Hole
C6505	Small Universal Stopper- Drilled	1.57"	1.16"	3/8"
C6506	Small Universal Stopper- Solid	1.57"	1.16"	2
C6508	Large Universal Stopper- Drilled	2.34"	1.67"	3/8"




Stopper Type	Compatible with
Small Universal Stopper - Drilled or Solid	3, 5, 6 and 6.5 Gallon Glass Carboys
Large Drilled Stopper	5 & 6 Gallon Plastic Carboys



Kegerator Conversion Kits

Base Kit





C3105 C3107 C3108

Part#	Product Name
C3101	Deluxe Tower Kegerator Conversion Kit
C3102	Regular Kegerator conversion Door kit - (with coupler - NoCO₂ reg and Cly)
C3103	Deluxe Two Keg Tower Kegerator Conversion Kit
C3104	Deluxe Door Mount Kegerator Keg Tap Conversion Kit
C3105	Deluxe Two Keg Door Mount Kegerator Conversion Kit
C3106	Standard Guinness Dispensing Kegerator Keg Tap Conversion Kit
C3107	Deluxe Tower Kegerator Conversion Kit - 100% Stainless Steel Contact - SS Brushed Finish
C3108	Deluxe Two Keg Tower Kegerator Conversion Kit - 100% Stainless Steel Contact - SS Brushed Finish
C3109	Deluxe Two Keg Tower Kegerator Conversion Kit - Limited Edition




- Krome USA Inc.
 3482 Keith Bridge Road # 298
 Cumming GA 30041
- **o** 678-666-2001
- info@kromedispense.com













Memberships









Contents

Beer Towers	3
Beer Tower Accessories	15
Medallion	20
Beer Taps & Shanks	22
Beer Tap Handles	40
DripTray	49
Drip Tray Accessories	54
Jockey Box Accesories	55
Keg Couplers	59
Party Dispensing & Accessories	67
Beer Line Fittings	74
Beer Line Cleaning Accessories	83
CO2 Accessories	87
Air Distributors	90
Home Brawing	95
Bar Accessories	106
	106 111

BEERS




























SINGLE FAUCET SHARP HEAD ILLUMINATED TOWER

C564 Part No. **Total Height** 19" 1-1/2" Shaft Connection Plated Brass Finish

Faucet

Faucet Material Stainless Steel Outlet SS Tube

Mounting System Thru Counter Hole.

Cooling System **Glycol Recirculation Loop**



Features

- Standard US Faucets & knobs.
- Stainless Steel Inlet and Recirculation Loop.
- Includes transformer (adapter) of 110V-C596.
- Supplied with 110V Adaptor.
- Ouick change Illuminated Lens 80mm.

See Part # C490 for Lens option.



100% Stainless Steel Contact with Beer.




3" SINGLE FAUCET ILLUMINATED DRAFT ARM TOWER

C553 Part No. Total Height 12" Finish SS Polished Faucet Faucet Material Plated Brass Outlet NSF Vinyl Hose Mounting System With Screw Cooling System Air Cooled



Features

- Standard US Faucets & knobs.
 Pre-fitted with 3 /16" IDx5' long NSF approved tubing with beer nut on one end.
- All mounting hardware & gasket.
- Customs Illuminated tower logo also available.
- Includes transformer (adapter) of 110V-C596.
- Ouick change Illuminated Lens 80mm.



103mm

76 20mm





3" SINGLE FAUCET TAPER CUT TOWER

Single Faucet Taper Cut Draft Beer Tower makes an incredible presence in commercial bar or kegerator. Made of durable Stainless Steel 304 with a slim design, it's an easy to install keg tower. Taper Back for Brand Name Display (45°).

Part No.	C512	C826	C593	C827
Total Height	18"	18"	18"	18"
Finish	SS Polished	SS Polished	SS Polished	SS Polished
Faucet	1	1	2	2
Faucet Material	Plated Brass	Stainless Steel 304	Plated Brass	Stainless Steel 304
Outlet	NSF Vinyl Hose	SS Tube	NSF Vinyl Hose	SS Tube
Mounting System	With Screw	With Screw	With Screw	With Screw
Cooling System	Air Cooled	Glyco Cold TM TECHNOLOGY	Air Cooled	Glyco Cold TM TECHNOLOGY





Features

- Taper back for branding possibilities.
- Standard US Faucets & knobs.
- All mounting hardware & gasket.



100% Stainless Steel Contact with Beer.






5 TAP TOWER WITH TAPER ENDS

Part No.	C529	C539
Total Height	19"	19"
Finish	Plated Brass	Vibrant Gold Color
Faucets	5	5
Faucet Material	Plated Brass	Plated Brass
Outlet	SS Tube	SS Tube
Mounting System	Thru Counter Hole.	Thru Counter Hole.
Cooling System	Glyco Cold TM TECHNOLOGY	Glyco Cold TM TECHNOLOGY

- 1-1/2 BSP through counter connection.
 Taper cap on both ends for Modern Look.
- Top cover lid for easy service and maintainable operations.
- Standard US Faucets & knobs not Included.
- Optional with European Faucets.







2.5" SINGLE FAUCET TOWER

C501


Simple and economical solution for your home and commercial bar. Looks great!

Total Height 11.5" Finish SS Polished Faucet Faucet Material Plated Brass NSF Vinyl Hose Outlet Mounting System With Screw Cooling System Air Cooled

Features

Part No.

- Standard US Faucets & Knobs.
 Pre-fitted with 3/16" ID x 5' long NSF approved tubing with beer nut on one end.
- All mounting hardware & gasket.





3" SINGLE FAUCET TOWERS

Part No.	C173	C174	C273*	C569
Total Height	12"	12"	12"	12"
Finish	SS Polished	Vibrant Gold Color	SS Polished	SS Polished
Faucet	1	1	1	1
Faucet Material	Plated Brass	Plated Brass	SS 304	SS 304
Outlet	NSF Vinyl Hose	NSF Vinyl Hose	NSF Vinyl Hose	SS Tube
Mounting System	With Screw	With Screw	With Screw	With Screw
Cooling System	Air Cooled	Air Cooled	Air Cooled	Glyco Cold TM TECHNOLOGY






Features

- Standard US Faucets & Knobs.
 All mounting hardware & gasket.









3" DOUBLE FAUCET TOWERS

Double faucets that double your flavour or quantity according to your choice.


Part No.	C175	C176	C274*	C868
Total Height	12"	12"	12"	12"
Finish	SS Polished	Vibrant Gold Color	SS Polished	SS Polished
Faucets	2	2	2	2
Faucet Material	Plated Brass	Plated Brass	Stainless Steel 304	Stainless Steel 304
Outlet	NSF Vinyl Hose	NSF Vinyl Hose	NSF Vinyl Hose	SS Tube
Mounting System	With Screw	With Screw	With Screw	With Screw
Cooling System	Air Cooled	Air Cooled	Air Cooled	Glyco Cold TM TECHNOLOGY

Features

- Standard US Faucets & knobs.All mounting hardware & gasket.



100% Stainless Steel Contact with Beer.





3" TRIPLE FAUCET TOWERS


Triple faucet towers are simply best for business and grand parties to satisfy the large number of people. Saves space as well.

Part No.	C275	C502	C508	C869
Total Height	14"	14"	14"	14"
Finish	SS Polished	Vibrant Gold Color	SS Polished	SS Polished
Faucets	3	3	3	3
Faucet Material	Stainless Steel 304	Plated Brass	Plated Brass	Stainless Steel 304
Outlet	NSF Vinyl Hose	NSF Vinyl Hose	NSF Vinyl Hose	SS Tube
Mounting System	With Screw	With Screw	With Screw	With Screw
Cooling System	Air Cooled	Air Cooled	Air Cooled	Glyco Cold TM TECHNOLOGY

Features

- Standard US Faucets & knobs.
- All mounting hardware & gasket.










4" TRIPLE FAUCET TOWER

C523 Part No. **Total Height** 14" Finish SS Polished Faucet 3

Faucet Material Plated Brass Outlet NSF Vinyl Hose Mounting System With Screw Cooling System Air Cooled

Features

- Standard US faucet and Knobs.
 Pre fitted with 3/16" ID X 5' long NSF approved tubing with beer nut on one end.
- All mounting hardware and gasket.





4" FOUR FAUCET TOWERS


Part No.	C540	C559
Total Height	14 "	14"
Finish	SS Polished	SS Polished
Faucets	4	4
Faucet Material	Plated Brass	Stainless Steel 304
Outlet	NSF Vinyl Hose	NSF Vinyl Hose
Mounting System	With Screw	With Screw
Cooling System	Air Cooled	Air Cooled
		SS



Features

- Standard US faucet and Knobs.
 Pre fitted with 3/16" ID X 5' long NSF approved tubing with beer nut on one end.
- All mounting hardware and gasket.









T Tower is a great solution to satisfied the large no. of people with variety of beers.

TRIPLE FAUCET T TOWER 3" COLUMN

Part No.	C509	C956
Column Diameter	3"	3"
Total Height	16"	16"
Finish	SS Polished	SS Polished
Faucets	3	3
Faucet Material	Plated Brass	Stainless Steel304
Outlet	NSF Vinyl Hose	NSF Vinyl Hose
Mounting System	With Screw	With Screw
Cooling System	Air Cooled	Glycol Recirculation Loop




Features

- Standard US Faucets & knobs.All mounting hardware & gasket.



100% Stainless Steel Contact with Beer.






FOUR FAUCET T TOWER 3" COLUMN


T Tower is a great solution to satisfied the large no. of people with variety of beers.

Part No.	C510
Column Diameter	3"
Total Height	16"
Finish	SS Polished
Faucets	4
Faucet Material	Plated Brass
Outlet	NSF Vinyl Hose
Mounting System	With Screw
Cooling System	Air Cooled

- Standard US Faucets & knobs.All mounting hardware & gasket.







GLYCOL RECIRCULATION LOOP DRAFT BEER TOWERS


Part	C956	C957	C985	C986	C974
Box Size	12"	20"	20"	20"	24"
Column Size	3"	4"	4"	4"	4"
Taps	3	4	5	6	8
Finish	SS Polished	SS Brushed	SS Brushed	SS Brushed	SS Brushed

Features

- 100% Stainless Steel Contact with Beer.
- Stainless Steel Faucets.
- Brass Cold Blocks.
 Copper Glycol Recirculation Loop Tube for optimum Cooling.
 Industry Standards Barbs.
 5 Feet NSF Approved Vinyl Tubing with beer nuts on end.







T TOWERS 4" COLUMN

Part No.	C957	C985	C557	C558	C986	C974
Column Diameter	4"	4"	4"	4"	4"	4"
Total Height	15"	15"	15"	15"	15"	15"
Total Length	20"	20"	20"	20"	20"	24"
Finish	SS Polished	SS Brushed	SS Brushed	SS Brushed	SS Brushed	SS Brushed
Faucets	4	5	6	8	6	8
Faucet Material	Stainless Steel 304	Stainless Steel 304	Plated Brass	Plated Brass	Stainless Steel 304	Stainless Steel 304
Outlet	NSF Vinyl Hose	NSF Vinyl Hose	NSF Vinyl Hose	NSF Vinyl Hose	NSF Vinyl Hose	NSF Vinyl Hose
Mounting System	With Screw	With Screw	With Screw	With Screw	With Screw	With Screw
Cooling System	Glycol Recirculation Loop	Glycol Recirculation Loop	Air Cooled	Air Cooled	Glycol Recirculation Loop	Glycol Recirculation Loop
	SS	SS			SS	SS




Features

- Connection (not included, order separately).
 3/16" tail piece, hex nut & washer.
 Faucet spacing: 3" center to center.
 All mounting hardware & gasket.



100% Stainless Steel Contact with Beer.



*Double Pedestal T Towers also available check our Website.

| Kramedispense







CLAMP-ON TOWERS

Towers with Drip Tray are of great use for Temporary Dispensing & Special Events.

Part No.	C513	C514
Tower Diameter	3"	3"
Tower Height	12"	12"
Finish	SS Polished	SS Polished
Faucets	1	2
Faucet Material	SS 304	SS 304
Drip Tray Size	5"x 6"	10"x6"
Drip Tray Material	Stainless Steel 304	Stainless Steel 304
Drip Tray Finish	Brushed	Brushed
Outlet	NSF Vinyl Hose	NSF Vinyl Hose
Mounting System	Clamp on	Clamp on
Cooling System	Air Cooled	Air Cooled
	SS	SS



C514

Features

- Standard US Faucets & knobs.
 Pre-fitted with 3/16" ID x 5' long NSF approved tubing with beer nut on one end.
 All mounting hardware & gasket.



100% Stainless Steel Contact with Beer.




SINGLE FAUCET AXIS TOWERS

This stylish single tap draft beer tower makes an incredible presence in commercial bar or kegrator at home. Made of brass with a slim design, it's an easy to install keg tower.

Part No.	C515	C530
Total Height	18"	18"
Finish	Plated Brass	Vibrant Gold Colo
Faucet	1	1
Faucet Material	Plated Brass	Plated Brass
Outlet	NSF Vinyl Hose	NSF Vinyl Hose
Mounting System	Thru Hole	Thru Hole
Cooling System	Air Cooled	Air Cooled

- Standard US Faucets & knobs.
 Pre-fitted with 3/16" ID x 5' long NSF approved tubing with beer nut on one end.
 All mounting hardware & gasket.







SINGLE FAUCET SNAKE TOWERS

A modern design with a smooth hint of masculinity which fit all kinds of interiors in modern bars, restaurants and clubs serving beer, wine and beverages on draught.

Air Cooled


Part No.	C533	C923
Total Height	15.35"	15.35"
Finish	Plated Brass	Vibrant Gold Color
Faucet	1	1
Faucet Material	Plated Brass	Plated Brass
Outlet	NSF Vinyl Hose	NSF Vinyl Hose
Mounting System	Thru Hole	Thru Hole

Features

Standard US Faucets & knobs.

Cooling System Air Cooled

- Pre-fitted with 3/16" ID x 5' long NSF approved tubing with beer nut on one end.
- All mounting hardware & gasket.
 Brass shaft thread 1" Drain nipple thru counter.





DOUBLE FAUCET SNAKE TOWER

Part No.	C534	C734
Total Height	15.35"	15.35"
Connection	1"	1"
Finish	Plated Brass	Vibrant Gold Color
Faucet	2	2
Faucet Material	Plated Brass	Plated Brass
Outlet	NSF Vinyl Hose	NSF Vinyl Hose
Mounting System	Thru Hole	Thru Hole
Cooling Systwem	Air Cooled	Air Cooled

- Option of Thru Bar/ Clamp On.
- Optional with European Flow Control taps.

- All mounting hardware & gasket.
 Brass Shaft thread 1" Drain Nipple through counter.
 Pre-fitted with 3/16" ID x 5' long NSF approved tubing with beer nut on one end.






TRIPLE FAUCET SNAKE TOWER

C582 Part No. Total Height 15.35" Connection 1-1/2" Finish Plated Brass

Faucets 3

Faucet Material Plated Brass NSF Vinyl Hose Outlet Mounting System Thru Hole Cooling System Air Cooled



Features

- Pre-fitted with 3/16" ID x 5' long NSF approved tubing with beer nut on one end.
- Thru Bar/Clamp on.
- Standard US faucets and Knobs.
- Optional with European Flow Control Faucet-ABS Spout (C276).



FOUR FAUCET SNAKE TOWER

C586 Part No. Total Height 15.35" Connection 1-1/2" Finish Plated Brass

Faucets

Faucet Material Plated Brass Outlet NSF Vinyl Hose Mounting System Thru Hole Cooling System Air Cooled

- Pre-fitted with 3/16" ID x 5' long NSF approved tubing with beer nut on one end.
- Standard US faucet & Knobs.
- Thru Bar/Clamp on.





THREE TAP INSPIRE TOWER

This stylish draft beer tower makes an incredible addition to any kegerator made of durable chrome plated brass with an Inspire design, it's an easy to install keg tower.


C531 Part No. Finish Plated Brass

Faucets

Faucet Material Plated Brass NSF Vinyl Hose Mounting System Thru Hole Cooling System Air Cooled

Features

- Pre-fitted with 3/16" ID x 5' long NSF approved tubing with beer nut on one end.
- 2" Connection thru counter.
- Optional Copper glycol cooling loop.





THREE TAP INSPIRE TOWER

C532 Part No. Finish Plated Brass Faucets

Faucet Material Plated Brass Outlet NSF Vinyl Hose Mounting System Thru Hole Cooling System Air Cooled

- Pre-fitted with 3/16" ID x 5' long NSF approved tubing with beer nut on one end.
- 2" Connection thru counter.













DRAFT BEER TOWER EXTENSIONS

Double faucets that double your flavour or quantity according to your choice.

C516* C520* Part No. Shank Material Plated Brass Shank Finish Plated Brass Vibrant Gold Color

Features

- *Easily converts an existing 1 faucet tower in to a 2 faucets tower.
 Recommended for use only with 3" diameter metal towers.
- Includes column shank assembly, Drill bits and Screws.





C517# C521# Part No. Shank Material Plated Brass Shank Finish Plated Brass Vibrant Gold Color

Features

- *Easily converts an existing 2 faucet tower in to a 3 faucets tower.

 Recommended for use only with 3" diameter metal towers.

 Includes column shank assembly, Drill bits and Screws.





C518⁺ C522+

C518⁺ C522+ Plated Brass Shank Material Plated Brass Shank Finish Plated Brass Vibrant Gold Color

Features

- *Easily converts an existing 1 faucet tower in to a 3 faucets tower.
- Recommended for use only with 3" diameter metal towers.
 Includes column shank assembly, Drill bits and Screws.



*Changes **Single Faucet Tower** into a **Double Faucet Tower**



#Changes Double Faucet Tower into a **Triple Faucet Tower**



+Changes **Single Faucet Tower** into a **Triple Faucet Tower**

Order Faucet and Hose Separately C201 Faucet & C110 Hose.



TOWER CAPS

Replacement Tower cap for standard US draft arms.

Part No.	C506	C507	C592
Diameter	3"	3"	3"
Finish	Vibrant Gold Color	Plated Brass	Brushed
Material	Brass	Brass	Stainless Steel 304

Features

- It used to keep the dust away.
- Easily removable.



SQUARE COLD BLOCK

Part No.	C228
Material	Brass

Features

- Glycol Line Cold Kit component. Fits 5/8" Shank.
 Suitable with 3/8" OD copper tubing.
 It holds the recirculation pipe.



COOLING BLOCK

Part No.	C258
Material	Aluminium

Features

- Suitable for US Shanks.
- It holds the recirculation pipe.



CLAMP-ON BRACKET WITH DRIP TRAY

Part No.	C500
Drip Tray Size	12" x 5"
Drip Tray Type	With Drain
Drip Tray Finish	Brushed
Drip Tray Material	SS 304

- Clamp on Bracket f or European style Fonts.
- *Suitable for mounting Snake font C533.








CLAMP ON TOWER BIGGER & FROSTY / ICED DRIP TRAY.

Part No.	C059	C060	C061
Clamp on Bracket Finish:	Powder Coated	Powder Coated	Powder Coated
Clamp on Bracket Material :	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304
Drip Tray Material:	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304
Drip Tray Finish	Brushed	Brushed	Brushed
Drip Tray Length:	457 mm	210 mm	313 mm
Drip Tray Width:	203 mm	188.64 mm	188.64 mm
Drip Tray Height:	30 mm	30 mm	30mm

Features

Melted iced water can be drained easily so it avoids wet & messy bar counter/table.





THRU COUNTER TOWER FIXING KIT

Part No.	C541	C542	C543
Length	6"	6"	6"
Thread	1" BSP	1-1/2" BSP	2" BSP
Material	Brass	Brass	Brass



LONG U BEND PIPE

C435 Part No. Material Stainless Steel 304 3/8" OD Length Size 15" Pipe length after bent Pipe length before bent 30"





SPACER FOR SHANK

Use to increase distance between wall/tower and faucet to allow for larger tap markers.

Part No.	C062	C042	C861	C862	C866	C867
Height	1"	1"	3/4"	3/4"	1/2"	1/2"
Material	Brass	Brass	Brass	Brass	Brass	Brass
Finish	Plated Brass	Gold Plated	Plated Brass	Gold Plated	Plated Brass	Gold Plated





JUG-GROWLER FILLER

Perfect for filling jugs or growlers with beer. Attaches easily to Standard US tap spout.

C708 Part No. 1 Feet (12") Length Material Brass Finish Plated Brass

Features

- Fill your growlers with ease.
 Allows beer to be filled from the bottom up, generating less foam.
- Easily fits C201, C203 and all other US Standard faucet.



GROWLER FILLER FOR PERL TAP

Perfect for filling jugs or growlers with beer.

C719 Part No. 1 Feet (12") Length Material Stainless Steel 304



Features

- This filler allows you to fill growlers from the bottom which creates less foam.
- Stainless steel and double oring seals provide a good tight seal to the inside
 of the faucet preventing messy leaks.
- SS construction means this will last far longer than chrome plated growler fillers.



GROWLER FILLER FOR 630SS & 650SS

Perfect for filling jugs or growlers with beer.

C764 Part No. 1 Feet (12") Length Material Stainless Steel 304



Features

- This filler allows you to fill growlers from the bottom which creates less foam.
- Stainless steel and double oring seals provide a good tight seal to the inside of the faucet preventing messy leaks.
 SS construction means this will last far longer than chrome plated growler fillers.



GROWLER FILLER NOZZLE ONLY FOR 630SS & 650SS FAUCET

C764.50 Part No. Material Stainless Steel 304





MEDALLION






MEDALLIONS

Badge Holders for Beer Towers. Draw Attention to "What's on tap". Fits on American and European Shanks.

Code	C390	C392
Diameter	82mm	82mm
Finish	Plated Brass	Vibrant Gold Colo
Material	Brass	Brass



Features


We can specify the different beer brands by placing stickers on the medallion.



LONG MEDALLIONS

Long Badge Holders for Beer Towers with space constrained or Draw Attention to "What's on tap". Fits on American and European Shanks.

Code	C382	C492
Diameter	82 mm	82 mm
Finish	Plated Brass	Vibrant Gold Color
Motorial	Proce	Proce



Features

• We can specify the different beer brands by placing stickers on the medallion.



C493

CLEAR FISH EYE MEDALLION -80MM

C493 Part No. Without Brand Brand Ultra Clear Feature Polycarbonate Material



BRANDED FISH EYE MEDALLION -80MM

Part No.	C494	C496
Brand	Stella	Hoegaarden
Feature	Ultra Clear	Ultra Clear

J/correctispense

MEDALLION





TRANSFORMER FOR ILLUMINATED BEER TOWERS

C596 Part No.

Features

- Used to illuminate Brand.
- Power 110V.
- CE Approved.



ILLUMINATED MEDALLION CAP FOR 3" DRAFT TOWERS

C490 Part No.

- Easy to fit.
 Illuminate your existing standard draft tower and give them a new look.
 Custom Logo options.
 Supplied with 110V Adaptor.

know taps









STANDARD BEER FAUCET - US TYPE

C201 C202 C203 Faucet Material Brass Brass Stainless Steel 304 Faucet Finish Plated Brass Plated Brass SS Polished Lever Material Stainless Steel Stainless Steel 303 Brass





S.No.	PART NAME	Part No.
1.	Standard Tap Body	C201.01
2.	US Faucet Shaft Assembly	C201.02
3.	Us tap Collar nut	C201.03
4.	Bonnet for us faucet	C201.04
5.	Lever Friction washer	C201.05
6.	Teflon Washer	C201.06
7.	Coupling Gasket	C201.07
8.	US Lever	C245





COUPLING GASKET

Used in all US Type Faucet with 60 teeth.

C201.07 Part No.





BEER FAUCET LEVERS

C245 C230 Part No. Thread 3/8" x 16 UNC 3/8" x 16 UNC Material Stainless Steel 304 Brass





GOLDEN BRASS BEER FAUCET - US TYPE

Part No.	C205	C206
Faucet Material	Plated Brass	Plated Brass
Faucet Finish	Vibrant Gold Color	Vibrant Gold Color
Lever Material	Brass	Stainless Steel



100% STAINLESS STEEL BEER FAUCET - US TYPE

C008 Part No. Faucet Material Stainless Steel 304 SS Polished **Faucet Finish** Lever Material Stainless Steel 304







New Style Looks Great

EDGE BEER FAUCET-LONG SPOUT

C362 Faucet Material Stainless Steel 304 **Faucet Finish** SS Polished Lever Material Stainless Steel 304





100% STAINLESS STEEL faucets

Mispense

C362





STAINLESS STEEL BEER FAUCET - US TYPE (PVD COATED)

C256 Faucet Material Stainless Steel 304 **Faucet Finish** Vibrant Gold Color Stainless Steel 304 Lever Material



Features

Vibrant Gold Color Finish never tarnish like brass.



AUTO SHUT MECHANISM BEER FAUCETS - US TYPE

C211 C117 Faucet Material Stainless Steel 304 Brass Faucet Finish SS Polished Plated Brass Internal Part Material Stainless Steel 304



Features

Shuts itself when you release the handle.



CREAMER ACTION BEER FAUCETS - US TYPE

C183 C283 Faucet Material Stainless Steel 304 Brass SS Polished **Faucet Finish** Plated Brass Lever Material Stainless Steel 304 Brass



Features

Pull & Push mechanism pours the foamy & creamy bearing in yours glass.





PURE. SURE. SS 316

BEER. WINE. CIDER

NEW.ONE.AFFORDABLE.



INTRODUCING THE NEW SLEEK DESIGN "EDGE TAP C361 WITH EXTENDED SPOUT" from kromedispense Precisely made from stainless steel 316 grade, SS 316 grade is purest and more corrosion resistant grade than SS 304





EDGE TAP / WINE FAUCET WITH EXTENDED SPOUT

Precisely made from Stainless Steel 316 grade which is purest and more corrosion resistant grade than Stainless Steel 304.

C896 C361 Part No. Stainless Steel 316 Faucet Material Stainless Steel 316 SS Polished PVD **Faucet Finish Lever Material** Stainless Steel 304 Stainless Steel 304

All Internal Parts are Stainless Steel 316.



FLOW CONTROL FAUCET (RETROFIT ANY US STYLE SHANK)

Part No.	C272	C730
Outlet	10mm	10mm
Faucet Material	Brass	SS 304
Faucet Finish	Plated Brass	SS Polished
Spout Material	SS 304	SS 304
		CC


- Adjustable Flow Control Spout.
 Longer spout helps to eliminate foam.
 Traditional European style, Faucet Knob Included.
- Spring Loaded Self Closing Faucet Handle.



SWING LEVER TAP

C451 Part No. SS Polished Finish: Material: Stainless Steel 304

FITS US Shank







FAUCET SPOUT EXTENSIONS

To convert U.S. Facuet spout to European style Faucet Spout. *Help reduce foam while pouring faster

Part No.	C226	C227
Spout ID	8mm	8mm
Material	Brass	Stainless Steel 304
Finish	Plated Brass	SS Polished
	CC	

Features

- Help in reducing foam, Pours faster.
- Snug fits in standard US tap spout.




QUICK DISCONNECT BEER TAP CONNECTOR (SHANK)

For use with C121 / C122

Part No.	C702
Bore ID	8mm
Material	Stainless Steel 304
Finish	SS Polished

Without Teeth.





REPAIR KIT FOR EUROPEAN FLOW CONTROL TAP

C725 Part No.

Features

Used in european flow control tap.



REPAIR KIT FOR STANDARD US BEER FAUCET

C2500 Part No.

- Used in standard US beer faucet.
- Replacement parts for better functioning.





Stop unauthorised pour of beer in Bar, Restaurant and home

*Cost's only few pours:)

Wrap Around Faucet Lock-with 2 Alike Keys

Fits Standard Beer and Wine Faucets. (taps)

Alike Keys Faucet Lock Material Brass Faucet Lock Finish Plated Brass

- Tamper proof and extremely easy to install and remove.
- Krome dispense beer faucet lock features brass tumbler.
- Hardened steel locking hasp and locks that are keyed alike.
- · Limits beer shrinkage at commercial premises.
- Eliminates underage access to your draft beer setup.







FAUCET LOCK FOR TURBO TAP

C739 Part No. 2 Pcs. Alike Keys **Faucet Lock Material** Brass Faucet Lock Finish Plated Brass

Lock Features

- Tamper-proof and extremely easy to install and remove.
- Krome dispense beer faucet lock features brass tumbler, Hardened.
- Steel locking hasp and locks that are keyed a like.
 Fits Standard Beer and Wine Faucets (faucets).
- Benefits : Limits beer shrinkage at commercial premises.
- Eliminates underage access to your draft beer setup.



SPOUT PLUG FOR FAUCETS

C182 Part No. Length 1-3/8" Color Black

Features

- Fits Standad Beer and Wine Faucets.
- A spout is an plug is an economical solution for controlling fruit files, yeast and bacteria build up when the faucet is not in use.



HYGIENE PLUG

C545 Part No. Total Length **Brush Wire Material** Stainless Steel 304

Handle Color option Blue, Green, Flame Orange & Black

- Helps keep beer taps clean.
- Protects taps from fruit files and contamination when not in use.
 Eliminates the time and waste for wrapping beer taps overnight, as required by health codes.
- Stainless Steel 304 brush wire for long life.
- Fits almost all beer tap types.



Keep your beer

Safe & Hygienic



To know more visit our website $\sqrt{}$ www.kromedispense.com






STOUT / ALE FAUCET

Used for Stout Beers.

Part No.	C257	C457	
Faucet Material	Brass	Brass	
Faucet Finish	Plated Brass	Vibrant Gold Color	
Nozzle	Stainless Steel 304	Stainless Steel 304	
Thread	3/8"x16 UNC	3/8"x16UNC	
Connection	60 Teeth	60 Teeth	
Restrictor Plate	0.5mm Stainless Steel 316		

ITEM NO.	DESCRIPTION	PART No.
1	Housing For Stout Faucet	C257.01
2	Knurled Stop Nut For Stout Faucet	C257.02
3	Screw for Stout Faucet	C257.04
4	Sliding Cap	C257.05
5	Sliding Cap O-Ring	C257.06
6	Brass cap nut	C257.07
7	Spring For Stout Faucet	C257.08
8	Piston For Stout Faucet	C257.09
9	Pin For Stout Faucet	C257.10
10	Leak Out Pipe	C257.12
11	O-Ring 10X2	C257.11
12	Regulation Core	C257.14
13	Jet Disk For Stout Faucet	C257.15
14	Piston Center O-Ring	C257.16
15	Piston Front O-Ring	C257.13
16	Coupling Gasket	C201.07
17	Lever Base with Full Thread Rod	C257.03

C457





GUINNESS FAUCET LOCK

Make your investment secure -just add padlock to lock your tap.

C710 Part No.

Stainless Steel 304 Material SS Polished Finish



This lock will not fit standard ale and lager type faucets.

Features

- Durable and easy to use, this stout faucet lock features 2 o-rings to seal the spout, preventing beer from being poured. Use any standard padlock to secure the lock in place.
- Made from Stainless Steel for durability! Built-in o-rings to seal the spout and prevent beer from being
- · Accepts standard padlocks.



STANDARD US FOAM/FLOW CONTROL FAUCET WITH SHANK

All Krome beer Faucets are designed to be the best faucets available on the market today. US Faucet with flow control features.

C204 Part No. Faucet Material Forged Brass Faucet Finish Plated Brass

Features

- Includes knob and 3-1/2" long shank with 5/8" BSP thread.
- Stainless steel wall flange.
- Smooth bore spout and interior to reduce foaming.
- Teflon friction ring for smooth, easy operation.
- Chrome plated Brass forged construction.
- Contact us for custom shank sizes and types.
- · Brass or Stainless lever handle. • Short Shank length also available.



CHROME PLATED BEER SHANK ASSEMBLY - Standard

Assembly includes: Coupling nut, coupling sleeves, Snap ring, Forged Brass locknut & Black plastic flange.

Part NO.	C301	C302	C303	C304	C305	C306	C342	C343	C921
Length	2-1/8"	3-1/8"	4-1/8"	5-1/8"	6-1/8"	8-1/8"	10-1/8"	12-1/8"	14"-1/8"
Bore ID	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	

5/8"-14 BSP Thread Material Plated Brass



Part No. C312 C313 C314 C315 C316 C354 C355 C922

Length	2-1/8 "	3-1/8"	4-1/8"	5-1/8"	6-1/8"	10-1/8"	12-1/8"	14-1/8"
Bore ID	3/16"	3/16"	3/16"	3/16"	3/16"	3/16"	3/16"	3/16"
Thread	5/8"-14 B	SP						

Material Plated Brass







STAINLESS STEEL BEER SHANK ASSEMBLY- STANDARD

Part No.	C212	C213	C214	C234	C425	C928
Length	2"	3-1/8"	4-1/8"	5-1/8"	6-1/8"	8-1/8"
Bore ID	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"

5/8"-14 BSP Thread

Material Stainless Steel 304






C288 C289 C291 C290 Part NO.

2-1/8" 4-1/8" 5-1/8" Length 3-1/8" 3/16" 3/16" 3/16" Bore ID 3/16"

5/8"-14 BSP Thread Material









STANDARD WINE SHANKS

Material	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304
Thread	5/8"-14 BSP	5/8"-14 BSP	5/8"-14 BSP
Bore ID	1/4"	1/4"	1/4"
Length	3-1/8"	4-1/8"	5-1/8"
Part No.	C346	C347	C348





STANDARD SS SHANK

C357 C358 C356 Part No. 2-1/8" 2-1/8" 2-1/8" Length Bore ID 3/8" 3/8" 1/2" Thread 5/8"-14 BSP 5/8"-14 BSP 5/8"-14 BSP Material Stainless Steel 304 **Brass** Stainless Steel 304







NIPPLE SHANK

Part No.	C300	C344
Length	1.75"	1.75"
Bore ID	3/16"	3/16"
Thread	5/8"-14 BSP	5/8"-14 BSP
Material	Brass	Stainless Steel 304
Finish	Plated Brass	SS 304

- Fixed sleeve
- Stainless steel 304 decorative Flange included.
- Forged Brass locking nut.





CHROME PLATED BEER SHANK ASSEMBLY - NIPPLE

Part NO.	C318	C319	C320	C327	C349
Length.	2-3/4"	3-1/8"	4-1/8"	5-1/8"	4"
Bore ID	1/4"	1/4"	1/4"	1/4"	1/4"
Thread	5/8"-14 BSP				




Plated Brass

Part No.	C330	C322	C323	C324	C326
Length.	2-3/4"	2-1/2"	3-1/2"	4-1/2"	5-1/2"
Bore ID	3/16"	3/16"	3/16"	3/16"	3/16"



Material













CHROME PLATED BRASS ELBOW SHANK ASSEMBLY

Part No.	C426		
Length	3-1/8"		
Bore ID	3/16"		
Thread	5/8"-14 BSF		

Material Plated brass shank with Stainless Steel 304 elbow





COLUMN SHANK ASSEMBLY

	Part No.	C328	C332	C329	C339
l	Length	1.75"	1.75"	1.75"	1.75"
	Bore ID	3/16"	1/4"	3/16"	1/4"
	Thread	5/8"-14 BSP			
	Material	Brass	Brass	Brass	Brass
	Finish	Plated Brass	Plated Brass	Vibrant Gold Color	Vibrant Gold Color
	Part No.	C321	C331	C336	C337
	Part No. Length	C321 1.75"	C331	C336 1.75"	C337 1.75"
	Length	1.75"	1.75"	1.75"	1.75"
	Length Bore ID	1.75" 1/4"	1.75" 3/16"	1.75"	1.75"
	Length Bore ID Thread	1.75" 1/4" 5/8"-14 BSP	1.75" 3/16"	1.75" 3/16"	1.75"

- Chrome Plated Brass Shank with Stainless Steel.
- 304 grade Elbow soldered into shank.
- "Coupling Nut & Tower Flange are Vibrant Gold Color.





COMPRESSION SHANK ASSEMBLY

Part No.	C307	C308	C309	C310
Product	Shank Assembly	Shank Grommet	Compression Nut Male	Gooseneck Elbow
Bore ID	1/4"	3/16"	1/4"	3/16"
Material	Brass	NBR	Brass	Stainless Steel 304
Finish	Plated Brass	Black	Plated Brass	SS Polished





PERLICK THREAD IN SHANK ASSEMBLY

Part No.	C311	C341
Length	1.6"	1.6"
Bore ID	8mm	8mm
Thread	5/8"-14 BSP	
Material	Brass	Stainless Steel 304
Finish	Plated Brass	SS Polished
		SS



- O-Ring Included.
- Replacement shank for Perlick Tower.



FAUCET PLUG

Need to seal a shank when the faucet is removed. Perfect for draft beer trailers when securing for storage or travel. Same threads as faucet.

Part No.	C130		
Material	Brass		
Finish	Brass		
Thread	1-1/8" x 18 UNE		

Features

• Fits all beer and wine shanks.



REPLACEMENT PLASTIC DECORATIVE FLANGE FOR SHANKS

Part No.	C018
Material	Plastic
Finish	Black

Features

• It is used in shanks.



STAINLESS STEEL FLANGE

C127

Material Stainless Steel 304 Finish SS Polished



Features

• It is used in shanks.



LOCKING FLANGE FOR WALL SHANK ASSEMBLY

C126 Part No. 5/8" -14 BSP Thread Material Brass

Features

Finish

• This can be easily upgrade, screw the flange into to a wall & prevent your beer shank & faucet from rotating with a set screw.




C125

Brass

WALL MOUNTABLE SHANK ASSEMBLY

Good for cold rooms / tap rooms. Dispense thru the wall.

C125 Part No. Length 24 Inch Bore ID 3/16" 5/8"-14 BSP Thread Material Brass Finish Plated Brass







STANDARD FAUCET KNOBS

Tap Handle - Generic draft beer tap handle for use on jockey boxes and rental equipment, Beer tap etc.

Part No.	C184	C185	C186	C885
Туре	With Brass Insert	-	Without Brass Insert	-
Thread	3/8"x16 UNC	3/8"x16 UNC	3/8"x16 UNC	3/8"x16 UNC
Material	Plastic	Brass	Plastic	Brass
Finish	Black	Plated Brass	Black	Vibrant Gold Color



LONG HANDLE - FOR STANDARD U.S. FAUCET

Part No.	C190
Thread	3/8"x16 UNC
Material	Brass
Finish	Plated Brass
Length	150mm



FAUCET KNOB FOR EUROPEAN FLOW CONTROL TAP

Part No.	C697
Thread	3/8"x16 UNC
Material	Plastic
Finish	Black

Feature

For perfectly fits Tap C272 & C730 and Other Similar style taps.



BALL KNOB FOR STANDARD U.S. FAUCETS / BEER PUMPS

Part No.	C120
Diameter	32mm
Thread	3/8"x16 UNC
Material	Plastic









MARBLE TAP HANDLE - WITH BRASS INSERT

Part No.	C012	C013
Height	3.25"	3.25"
Thread	3/8"x16 UNC	3/8"x16 UNC
Material	Marble	Marble
Colour	Green	Brown

As product is made from natural stone so there might be slight variation in colors and texture.



GOLF BEER TAP HANDLE

Part No.	C019
Height	5"
Thread	3/8"x16 UNC
Material	Brass
Finish	Plated Brass



C672

Green

C671 Black

C673

Yellow



MINI PUB STYLE HANDLE

Finish Finial & Ferrule

Part No.	C668	C669	C670	
Handle Color	Navy Blue	White	Red	
Length	217 mm			
Thread	3/8"x16 UNC			
Material Handle	Wood			
Material Finlal & Ferrule	Brass			

Vibrant Gold Color

Plated Brass

Part No.	C690	C691	C692	C693	C694	C695
Handle Color	Navy Blue	White	Red	Black	Green	Yellow
Length	217 mm					
Thread	3/8"x16 UNC				Ø28.6	0mm → ←
Material Handle	Wood				<i>p</i> 20.0	T 8
Material Finlal & Ferrule	Brass					





PUB STYLE HANDLE

Finish Finial & Ferrule

	_					
Part No.	C674	C675	C676	C677	C678	C679
Color	Navy Blue	White	Red	Black	Green	Yellow
Length	310mm	310mm				
Thread	3/8"x16 UNC	3/8"x16 UNC				
Material Handle	Wood	Wood				
Material Finlal & Ferrule	Brass					
Finish Finial & Ferrule	Vibrant Gold	Color				

landle Color	Navy Blue				
		White	Red	Black	Green
ength.	210mm				
hread	3/8"x16 UNC				
/laterial Handle	Wood				Ø
/laterial Finlal & Ferrule	Brass				
inish Finial & Ferrule	Plated Brass				

C685

Yellow



PLASTIC TAP HANDLE WITH FERRULE AND FINIAL

Choose separate handle colors to differentiate every beer flavour. Standard US 3/8 UNC beer tap lever thread.



Yellow

Blue

C263 Part No. Black Red Color 5" Length Thread 3/8"x16 UNC Material Handle Plastic **Material Finlal & Ferrule** Brass Finish Finial & Ferrule Plated Brass

C264 C265 **C266** C267 C268 C469 **Features**

Green White

Orange

- Special colour handle can be made on minimum order quantity of 500pcs.
- Different Colours Available.
- Plastic Tap Handle with silver finial and Ferrule.
- A sleek look on your home kegerator-with keg tap handle.

PLASTIC TAP HANDLE WITH BADGE HOLDER

A sleek look on your home kegerator - or commercial bar. Standard US 3/8" x 16 UNC beer tap lever thread.



C374

Green

Yellow

C373

Blue

C371 C372 Part No. Color Black Red Length Thread 3/8"x16 UNC **Material Handle** Plastic Material Finlal & Ferrule Brass Finish Finial & Ferrule Plated Brass

C375 C376 C470 **Features**

Orange

White

- Plastic tap handle with silver finial and Ferrule.
- A sleek look on your home kegerator with keg & tap handle.









PUB STYLE HANDLE with Disc Ferrule

Add choice of **Medallions** to **Tap Handles** from a variety of Round, Oval in Chrome Plated & Vibrant Gold Color. Add Disc Ferrule to Tap Handles in Chrome Plated & Vibrant Gold Color.





ROUND PLATE FOR TAP HANDLES

C006RC **C006RG** Part No. 75mm Plate Inner Diameter 75mm Material Brass Brass Finish Plated Brass Vibrant Gold Color



OVAL PLATE FOR TAP HANDLES

C007OG C007OC Part No. 85X60mm 85X60mm Dimensions Material Brass Brass Finish Plated Brass Vibrant Gold Color



DISC FERRULE FOR TAP HOLDER

Draws attention to "what's on tap". Fits in **Pub Style Handle** (C680-685 & C674-679).

C709 C722 Material Brass Brass Finish Plated Brass Vibrant Gold Color



• Used in tap handles.





C241



TAP HANDLE FINIAL - STANDARD

C242 C241 Part No. 1.25" 1.25" Height Width 0.75" 0.75" Thread 5/16" BSW 5/16" BSW Material Brass Brass Vibrant Gold Color Finish Plated Brass

Features

• Used in tap handles.





TOP HAT FINIAL

Part No.	C688	C689
Thread	5/16"x 18 BSW	5/16"x 18 BSW
Material	Brass	Brass
Finish	Vibrant Gold Color	Plated Brass

Features

• Used in tap handles.



BEER TAP HANDLE FERRULE

Part No.	C243	C244	C417	C816
Height	1"	1"	1"	1"
Width	0.75" (3/4")	0.75" (3/4")	0.75" (3/4")	0.75" (3/4")
Top Thread	5/16" BSW	5/16" BSW		
Bottom Thread	3/8"x16 UNC	3/8"x16 UNC		
Thru Thread			3/8"	3/8"
Material	Brass	Brass	Brass	Brass
Finish	Plated Brass	Vibrant Gold Color	Plated Brass	Vibrant Gold Color

Features

Fits standard beer tap lever.





BEER TAP HANDLE FERRULE

Part No.	C686	C687
Thread	3/8"x16 UNC	3/8"16 UNC
Material	Brass	Brass
Finish	Plated Brass	Vibrant Gold Color

Features

Fits standard beer tap lever.



REPLACEMENT BOLT FOR WOODEN BEER TAP HANDLE

Simply screw the wood threads into the bottom of the handle, leaving the machine thread portion exposed for attaching a ferrule.

Part No.	C696
Size	1-1/2" Long
Thread	5/16" BSW x Wood Screw
Material	Zinc Plated Steel

- Wood threads on one end and machine screw threads on the other.
- Restores broken or damaged wooden tap handles easily.
- Pack of 100 Pieces.







TAP HANDLE INSERT (EPOXY)

For making custom tap handles.

C284 Part No. 3/8"x16 UNC Thread Material Brass Finish Brass

Features

• For making custom tap handle.





TAP HANDLE INSERT

For making custom tap handles.

C984 Part No. 3/8"x16 UNC Thread Material Brass Finish Brass

Features

For making custom tap handle.



C119



FAUCET COUPLING NUTS

C119 C419 Part No. Material Brass Brass Finish Plated Brass Vibrant Gold Colour

Features

For use on standard Faucet 4 holes to accommodate faucet wrench.



FAUCET HANDLE EXTENSIONS

Part No.	C128	C528
Thread Size	3/8"x16 UNC	3/8"x16 UNC
Size	2"	1"
Material	Brass	Brass
Finish	Plated Brass	Plated Brass

Features

Add variety to the height of Tap Handles.



C129




FAUCET HANDLE ANGLER - TAP MARKER

Long tap handles hitting the wall

The Tap Marker Angler screws on top of any standard faucet, allowing the tap handle to be in an upright


Part No.	C129	C829
Material	Brass	Brass
Thread Size	3/8"x16 UNC	3/8"x16 UNC
Finish	Plated Brass	Vibrant Gold Color















WALL MOUNT DRIP TRAYS

Part No.	C602	C608	C646	C609	C612	C619
Size (LxW)	6"X6"	4"x6"	4"X4.5"	10"x6"	12"x6"	14"x6"
Type	No Drain					

Finish Brushed

Material

SS

C630 C809 C631 Part No. Size (LxW) 6"X6" 16"x6" 6"x4"

Stainless Steel 304

Туре With Drain Material Stainless Steel 304 Finish Brushed



Features

- Solid 1.2mm Stainless steel 304 contruction.
 C958 Included

SURFACE DRIP TRAYS

-							
Part No.	C613	C614	C615	C616	C617	C618	C620
Size (LxW)	12"X5"	16"X5"	18"x5"	20"x5"	24"x5"	30"x5"	36"X5"
Туре	With Drain						
Material	SS 304						
Finish	Brushed						
	SS						

C626 C627 C624 C625 Part No. 18"X8" Size (LxW) 12"X8" 18"X8" 12"X8" With Drain No Drain Туре With Drain No Drain SS 304 Material



	Part No.	C606	C607	C611	C632	C817	C818	C819
ī	Size (LxW)	12"x5"	14"x6"	6"x5"	12"X6"	24"X5"	30"X5"	36"X5"
ı	Туре	No Drain						
ı	Material	SS 304						
_	Finish	Brushed						
		SS						

Features

Finish


- Solid 1.2mm Stainless steel 304 construction.
- C958 Included.

TAPER EDGE DRIP TRAY-COUNTER TOP


Part No.	C628	C629
Size (LxW)	9 x 6.5"	16 x 6.5"
Туре	With Drain	
Material	SS 304	
Finish	Brushed	
	SS	

- Solid 1.2mm Stainless steel 304 construction.
- C958 Included.












CUT-OUT SURFACE DRIP TRAY

Code.	C604	C633	C605	C634
Size (LxWxH)	12"x7"x3/4"	12"x7"x3/4"	12"x7"x3/4"	12"x7"x3/4"
Туре	No Drain	No Drain	With Drain	With Drain
Material	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304
Finish	Brushed	Vibrant Gold Color	Brushed	Vibrant Gold Color



Features

- Solid 1.2mm Stainless steel 304 constructon.
- With drain drip tray included drain assembly C958.



FLUSH MOUNTED DRIP TRAY

Part No.	C139
Size (LxW)	12"x5"
Туре	With Drain
Material	Stainless Steel 304
Finish	Brushed



• C610 Included

FLANGED MOUNT DRIP TRAY

This stainless steel drip tray mounts right into your counter top and looks great! the drain hole is right in the center of the tray and a drain fitting is included. All you need to do is attach a piece of hose to it and run the tubing to your drain. Your counter top must be cut to tray dimensions given for proper mounting. Comes without plastic grate.

Part No.	C622	C623
Size (LxWxD)	8-1/8"x5-3/8"x3/4"	14-1/8"X5-3/8"X3/4"
Туре	With Drain	With Drain
Material	Stainless Steel 304	Stainless Steel 304
Finish	Brushed	Brushed
Drain Size	1/2" BSP	1/2" BSP
Drain Material	Brass	Brass

Features

• C954 Included



SIDE SPRAY GLASS RINSER TRAY / OVER COUNTER

Brushed

Part No.	C359	C460	C461	C462	C463
Size (LxW)	20"x7"x7/8"	24"x7"x7/8"	30"x7"x7/8"	36"x7"x7/8"	45"x7"x7/8"
Rinser Assembly	Plated Brass				
Material	Stainless Steel 30-	4			

Features

Finish

- With Side Sprayer.
- C029 Included.





C029

CENTER SPRAY GLASS RINSER TRAY-UNDER COUNTER/OVER COUNTER

C464 Part No. 8"x8"X7/8" Size (LxW) Rinser Assembly Plated Brass Stainless Steel 304 Materia

Finish Brushed

Features

- With Sprayer.
- C029 Included



CENTER SPRAY GLASS RINSER TRAY

C465 C466 Part No. Size (LxW) 10"x7"x7/8" 15"x7"x7/8"

Rinser Assembly

Materia Finish

Features

- With Sprayer.
- C029 Included



C029

DOUBLE SIDE HOLE SPRAY RINSER ASSEMBLY

C639 Part No 45" x 7" x 7/8" Length

Features

- Designed Innovation by Krome.
- Double side rinsing help servers to rinse glass with more efficiently.

PAT. Pending



SPRAY ASSEMBLY-INCLUDE INSTALLATION FITTINGS



C334.04 Part No. **Disc Material** Plastic

Features

• It is used in all riners trays & Milk pitcher rinser.

1/2" BSP CONNECTOR WITH 3/8"OD X5 FEET HOSE



C029 Code 3/8"x1/2" BSP Connector Hose Length 5 Feet

Features

• It is used in Pitcher Rinser.



C641 ********************* C642

ALUMINIUM SURFACE DRIP TRAY

C642 C641 Part No. Size (LxW) 12"x7" 12"x7" Tray Base Aluminium Aluminium Top Grate Material Stainless Steel 304 Stainless Steel 304

Vibrant Gold Color Finish Brushed





SHANK MOUNTED DRIP TRAY

Brass Drain Assembly included.

C138 Part No. 8"x6"x3/4" Size (LxWxH) Mounting Height 14" Туре WithDrain Material Stainless Steel 304 Finish Brushed SS

Features

- It is used in Pitcher Rinser.
- C958 Included.

GLASS RINSER DRIP TRAY - UNDER COUNTER

Rinse away any impurities that might be in the glass. Chill the glass utilizing cold water. A wetted glass pours better.





RECESSED/OVERCOUNTER DRIP TRAY

C064 Code Length 8" Width Size 18x21x3 cm Material Stainless Steel 304 Finish Brushed SS



- The use of these metal drip trays is for handling of Spills/Drips under draft beer tower.
- Glossy & durable consruction finish.
 These over counter drip trays allow easy cleaning by just using a soft cloth & normal cleaner support.
- Hole for easy removable of Grit.

DRIP TRAY ACCESSORIES





GLASS RINSER SPRAY ASSEMBLY

Used in Glass Rinser Drip Tray (C360).

Part No.	C360.50
Plate Diameter	6-3/8"
Intel Size	1/2" BSP (External)
Plate Material	Stainless Steel 304
Plate Finish	Brushed
Stem Material	Stainless Steel 304
Barh Material	Brass



- Used in glass rinser drip tray.
- Rinses away impurities that might be in the grass.



STANDARD DRAIN NIPPLE & NUT

Suitable for Drip Trays with Drain (C139)

Part No.	C610	
Thread	1/2" x 14" IPS	
Material	Brass	
Finish	Plated Brass	



STANDARD DRAIN NIPPLE ASSEMBLY (REPLACEMENT)

For use with most beer drip trays with drain.

Code	C958	C959	C141
Length	3-1/2"	6"	8"
Thread	5/8"-18	5/8"-18	5/8"-18
Material	Brass	Brass Brass	

Features

- This allows for auto draining of over spills.
- Easy to install.
- Included locking nut & gasket.



DRAIN ASSEMBLY

Replacement for any drip tray Complete with locknut and Washer.

Part No.	C953	C954	C955
Length	1"	2"	4"
Thread	1/2" NPT	1/2" NPT	1/2" NPT
Material	Brass	Brass	Brass
Finish	Brass	Brass	Brass

- This allows for auto draining of over spills.
- Easy to install.
- Included locking nut & gasket.





Single & Double Faucet Jockey Box Coil Cooler.

Insulated Ice Box



C801/C149

JOCKEY BOXES

Coil Size 50ft.x5/16" OD 24 Qt. Capacity

Stainless Steel 304 Coil Material





Feature

- Faucet and Knob Included.
- Great for mass / event dispensing.









DOUBLE FAUCET JOCKEY BOX WITH 100% SS304 CONTACT



C4103 C4104 C803 Part No. Coil Size 100ft x 3/8" & 20ftx 1/4" OD 2 Taps 3 Taps 3 Taps Stainless Steel 304 Taps Material Stainless Steel 304 Brass

- All SS 304 contact.
- · Comes with 120 ft coil.
- On wheel: You can take it wherever you go.
- 54 Quarts (Bigger size= More ice/More cooling).
- Included C224 and C255.

JOCKEY BOX ACCESSORIES





COOLING COIL

Part No.	C220	C224	C250
Tube Size	50ft x 5/16" OD	100ft x 3/8" OD & 20 ft x1/4" OD	70ft x 3/8" OD & 20ft x 1/4" OD
Coil Type	Left Hand	Left Hand	Left Hand
Coil Diameter	5.25"	9-1/2"	9-1/2"
Coil Height	6.75"	10"	8"
Material	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304



C255 Part No. **Coil Type** Right Hand

Tube Size 100ft x 3/8" & 20ftx 1/4" OD

Coil Diameter 9-1/2" **Coil Height** 10"

Material Stainless Steel 304

Features

• Including Grommets, Ferrules and Hex Nut fittings for easy connection to shanks.



WALL COUPLING - FOR BEER COIL COOLER

Ice Box assembly Part.

Part No.	C131	C132	C145	C770
For Assembly	4.5"with 3/8" Bore ID	3" with 5/16" Bore ID	3" with 5/16" Bore ID	4.5" with 3/8" Bore ID
Material	Brass	Brass	Stainless Steel 304	Stainless Steel 304
Finish	Plated Brass	Plated Brass	SS Polished	SS Polished
Thread	5/8"-14 BSP		66	CC



FERRULES

Ice Box assembly Part.

Part No.	C207	C208	C216
Bore ID	1/4"	5/16"	3/8"
Material	Brass	Bras	Brass
Finish	Plated Brass	Plated Brass	Plated Brass

Features

- Roll on Ferrule.
- Connection type clamp.



GROMMET FOR STAINLESS STEEL COOLING COIL

Part No.	C106	C107	C108
Bore ID	1/4"	5/16"	3/8"
Material	Rubber	Rubber	Rubber
Finish	Black		

- Resistance to abrasion.
- Durability.Wear & Tear resistant.



JOCKEY BOX ACCESSORIES





JOCKEY BOX DRIP TRAY


For use on standard faucet , 4 Holes to accommodate faucet wrench.

C640 C824 Part No. Size (LxWxH) 12"x6"x3/4" 24"x5x3/4" Material Stainless Steel 304 Stainless Steel 304 Finish Brushed Brushed



JOCKEY BOX ACCESSORIES





COLD PLATE RACK

C800 Part No. Fits Plate 10"x15"

Powder Coated Steel Material

Features

- Vinyl coated cold plate.
- · Beer Jockey Box rack.
- This jockey box cold plate rack is designed to keep the cold plate out of water.



COLD PLATE FITTING

C262

Connection Type Cold Plate x Thread Hex Nut 1/2"x16 x 7/8"x14 (5/8" BSP) Thread

Material Brass Finish Brass

Features

- 5/8"x1/2" MFL fiting.
- Brass fitting for cold plate.
- Threaded on both ends.



COLD PLATE FITTING

C231 Part No.

Fitting OUT Bore ID 3/16"

Operation From cold plate to faucet shank assembly Stainless Steel 304

Thread Size 1/2" x 16 BSF

C232

Fitting in Barb OD 3/8"

From Keg couper to cold plate

Stainless Steel 304

Features


Material

- Stainless steel liquid in fitting for cold plates.
- Threaded on one end.



3/8" ID HOSE SS CONTACT BEER NUT ON BOTH ENDS 6 FEET LONG

C4162 Part No. 3/8" ID Size 6 Feet Length







A SYSTEM KEG COUPLER

C723 Part No. Туре A System

(European Sankey)

Pressure Release

Valve (PRV) With PRV


Sight Glass Without Sight Glass

5/8-14" **Probe Thread**

Probe Material Stainless Steel 304

Body Material Brass Finish Plated Brass Handle Type

Used for most German beers. Slide on Keg connection



ITEM NO.	DESCRIPTION	PART No.
1	A System Body With PRV	C723.01
2	A System Prob	C716.02
3	Shanky Bottem Seal	C716.03
4	A System Body O-Ring	C716.07
5	Check Valve	C704.08
6	Short Handle	C704.10
7	Handle Hinge Pin	C704.09
8	BEER HEX NUT	C181
9	TAIL PIECE 5/16"	C103
10	PRV Holder	C804.02
11	Prv	C712.13
12	Torpedo	C712.09
13	Check Ball Retainer	C704.06



G SYSTEM KEG COUPLER

C715 Part No. Туре G System

(European Sankey)

Pressure Release


Valve (PRV) With PRV Probe Thread 5/8-14"

Probe Material Stainless Steel 304

Body Material Brass Finish Plated Brass Handle Type Sleek

Handle Colour Black, Red and Yellow





ITEM NO.	DESCRIPTION	PART No.
1	G System Body	C715.01
2	G System Body Pin	C715.02
3	G System Probe	C715.03
4	D System Party Pump Body O-Ring	C385.03
5	Torpedo	C712.09
6	Prv	C712.13
7	PRV Holder	C804.02
8	Retainer	C712.11
9	Duck Bill Valve	C712.12
10	Neoprene Washer	C116
11	Tail Piece 5/16"	C103
12	Beer Hex Nut	C181
13	Shanky Bottem Seal	C716.03
14	Handle Hinge Pin	C704.09
15	Short Handle	C704.10
16	Thread converter	C713





U SYSTEM KEG COUPLER WITH PRV

C712 Part No. Handle Color Black


Handle Style Pull Lever Handle

Gas Port 3/8" O.D. Barb (To fit 5/16" I.D. Gas Hose) Beer Port 7/8"-14 Thread (U.S. Beer Industry Standard)

5/8"-14 BSP **Probe Thread with Connector** SS 304 **Probe Material** Finish Stainless Steel



- Easy to engage push down to tap/pull upto in top.
 Stainless Steel Probe & Body.
 Short Handle is ideal for the small diameter.



ITEM NO.	DESCRIPTION	PART No.
1	U System Body	C712.01
2	Locking Ring For U System	C712.02
3	Gasket For U System	C712.03
4	Retaining Ring For U System	C712.04
5	Circlip For U system	C712.05
6	U System Probe	C712.06
7	O-Ring For Probe	C712.07
8	U-System Body O-RING	C712.08
9	Torpedo	C712.09
10	Short Handle	C712.10
11	Retainer For U-System	C712.11
12	Duck Bill Valve For USystem	C712.12
13	PRV	C712.13
14	Handle Hinge Pin	C704.09
15	Tailpiece 5/16"	C103
16	Neoperene Washer	C116
17	Chrome plated brass beer hex nut	C181
18	Coupler Thread Adapter	C713

Krumedispense



D SYSTEM

D SYSTEM KEG COUPLERS

C701 C737 Part No. D System D System Туре (US c701) (US Sankey)

Pressure Release

Valve (PRV) With PRV With PRV 5/8-14" **Probe Thread** 5/8-14" **Probe Material Brass Brass** Stainless Steel 304 Brass **Body Material** Finish SS Polished Plated Brass Handle Type Short Short

C703 C738 Part No. D System D System Туре (US Sankey) (US Sankey)




Valve (PRV) With PRV With PRV **Probe Thread** 5/8-14"

Probe Material Stainless Steel 304 Stainless Steel 304

Body Material Stainless Steel 304 Brass SS Polished Finish Plated Brass Handle Type Short Short





ITEM NO.	DESCRIPTION	PART No.
1	D System Probe Brass	C701.01
2	D System probe Seal	C703.02
3	D And S System Body	C704.01
4	Coupler Body O-Ring	C704.03
5	Shanky Bottom Seel	C704.05
6	Check ball Retainer	C704.06
7	Plastic Ball	C704.07
8	Check Valve	C704.08
9	Handle Hinge Pin	C704.09
10	Short Handle	C704.10
11	Gas Hose Nipple	C704.11
12	PRV	C712.13
13	Chrome Plated Brass Beer Hex Nut	C181



D SYSTEM

D SYSTEM KEG COUPLER FOR WINE

C742 Part No. D System Туре (US Sankey)

Pressure Release

Valve (PRV) With PRV **Probe Thread** 5/8-14" **Probe Material** Stainless Steel 316

Body Material Stainless Steel 304 Finish SS Polished Handle Type Short



Features

• Recommended for wine & cider applications.





System

Finish

Handle Type





S SYSTEM KEG COUPLERS

Part No.	C704	C804
Туре	S System	S System
	(EuropeanSankey)	(EuropeanSankey)
Pressure Release		
Valve (PRV)	With PRV	With PRV
Probe Thread	5/8-14"	5/8-14"
Probe Material	Stainless Steel 304	Stainless Steel 304
Body Material	Stainless Steel 304	Brass

SS Polished

Short


System Plated Brass

		S

Part No.	C705	C805	C745
Туре	S System	S System	S System
	(EuropeanSankey)	(EuropeanSankey)	(EuropeanSankey)
Pressure Release			
Valve (PRV)	With PRV	With PRV	With PRV
Probe Thread	5/8-14"	5/8-14"	5/8-14"
Probe Material	Brass	Brass	Stainless Steel 316
Body Material	Stainless Steel 304	Brass	Stainless Steel 304
Finish	SS Polished	Plated Brass	SS Polished
Handle Type	Short	Short	Short

Short





ITEM NO.	DESCRIPTION	PART NO.
1	D And S System Body	C704.01
2	S-System Probe	C704.02
3	Coupler Body O-Ring	C704.03
4	S System Probe Seel	C704.04
5	Shanky Bottom Seel	C704.05
6	Check Ball Retainer	C704.06
7	Check Ball	C704.07
8	Check Valve	C704.08
9	Handle Hinge Pin	C704.09
10	Short Handle	C704.10
11	Gas Hose Nipple	C704.11
12	PRV	C712.13
13	Beer Hex Nut	C181



BEER SHUT OFF VALVE

Great for turning the flow of beer from inside your fridge. Standard hex beer nut attaches to outlet thread.

C270 Part No.

Material Stainless Steel 304 Finish SS Polished Inlet Thread 5/8"x14" BSP **Outlet Thread** 5/8"x14" BSP



Features

- Shut off beer flow at the coupler without untapping keg.
- Standard hex nut attach to the outer head.



COUPLER THREAD ADAPTER

Converts 1/2"BSP threads to 5/8" BSP (7/8"-14) threads on probes. Fits on C715.

C713 Part No.

Material Stainless Steel 304 Thread Size 1/2" x 5/8 BSP

Features

- Fasteners safely & securely to prevent leaks & disconnections.
- Made of stainless steel for a sanitary coupling resistant to corrosion.



HEX ADAPTER

To convert 5/8" thread of Keg coupler to 1/2" BSP.

C192 Part No. Size 1/2" x 5/8" Material Brass Finish Plated Brass



EXTRACTOR TUBE REPAIR SEAL FOR A-TYPE KEGS SPEAR

C544 Part No. **OD Size** 38.40mm ID Size 24.85mm Material Rubber








REPLACEMENT WASHER FOR A TYPE AND **G TYPE KEG SPEAR**

C757 Part No.

REPLACEMENT WASHER FOR S, D & U TYPE **KEG SPEAR**

C489 Part No. Material Rubber





BALL LOCKS CONVERSION KIT FOR SANKE COUPLERS

C865 Part No. Liquid/Gas Туре

Take the Lock Nut and Drop it over the top of the post so it slides to the bottom. Turn the assembly over and push the rubber gasket into the bottom of the lock nut. You should be able to get it a couple of threads into the lock nut.





I D System Party Coupler with Pump

"D" system is the most common system available in the US, also known as American Sankey. It is used by all the major breweries - Anheuser-Busch, Miller, Molson - Coors, and Labatt as well as most craft breweries.

Part No.	C385	C364	C386	C485	C486
Туре	D System Party Coupler with 4" Pump.	D System Party Pump with Release Valve.	D System Party Coupler with 8" Pump.	D System Party Coupler with 4" Pump.	D System Party Coupler with 8" Pump.
Pull Handle	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304
Finish	SS Polished	SS Polished	SS Polished	Plated Brass	Plated Brass
Probe Material	Plated Brass	Plated Brass	Plated Brass	Plated Brass	Plated Brass
Party Coupler Body	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304	Plated Brass	Plated Brass

S System Party Coupler with Pump

"S" system (European Sankey): Many import beers. Used breweries such as: Heineken, Becks and Amstel Light.

Part No.	C387	C388	C487	C488
Туре	S System Party Coupler with 4" Pump.	S System Party Coupler with 8" Pump.	S System Party Coupler with 4" Pump.	S System Party Coupler with 8" Pump.
Pull Handle	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304
Finish	SS Polished	SS Polished	Plated Brass	Plated Brass
Probe Material	Plated Brass	Plated Brass	Plated Brass	Plated Brass
Party Coupler Body	Stainless Steel 304	Stainless Steel 304	Plated Brass	Plated Brass







METAL PUMP

Replacement pump for event dispensing couplers / Equipment.

Part No.	C393	C39
Barrel Height	4"	8"
Material	Brass	
Finish	Plated Brass	

Features

• This pump is supplied with a beer line with beer faucet attach.

 Attach your beer keg tap to the beer hex nut provided and clamp the air hose to the side of your keg tap and your pump is ready.

S.No	PART NAME	PART NO.
1	Metal Pump Body 4"	C393.01
2	Pump Body Top Cap	C393.02
3	Bottom Cap	C393.03
4	O-Ring for Pump	C393.05
5	Pump Shaft Spring 4"	C393.07
6	Pump Check Valve	C393.08
7	Black Plastic Ball Knob	C120
8	Neoprene Washer	C116
9	4" Metal Pump Shaft & O-Ring Holder Assembly.	C393.50





METAL PUMP WITH BARB

Part No.	C794
Barb Size	5/16" OD
Barrel Height	8"
Finish	Plated Brass
Material	Brass
*No Plastic parts	

Features

- This is our replacement 8" metal draft beer party pump our beer hand pump.
- It comes with bard base which you can push an air hose on and clamp it.



PICNIC FAUCET

Part No.	C238
Material	Durable Food Safe Plastic

Features

• This is a black plastic picnic faucet used to dispense beer from a keg.



PICNIC FAUCET WITH HOSE

C855 Part No. **Hose Length** 2 Feet Long

Material Durable Food Safe Plastic

PVC Vinyl Size 3/16"x7/16"

Features

- Black plastic party pump squeeze faucet with a hose barb that fits 3/16" I.D. beer line.
- For picnic keg pump comes with 2 feet of attached black beer line.



KEG COOLER JACKET

Use with 8 or 16 gallon kegs.

C785 Part No. 34"x40" Size

Material Canvas (Water Proof)

Features

- Colour may change or different as shown in picture.
- · Heavy insulation keeps contents cool.
- Durable canvas inside and out.
- Slotted from top.
- Party pump shown is not included.



UPRIGHT CONVERTOR ASSEMBLY WITH METAL PUMP

Very high quality Brass rod and pumpused for tapping most domestic American beers. Coupler can be taken the following the properties of the properties ofoff and replaced with another type. Perfect for parties. This pump is used to tap a keg for a party or gathering By using this tap, you are pumping oxygen into the keg. Oxygen causes beer to go flat very rapidly. The Keg with usually only stay fresh for a day or two at the most. This tap is not to be used to keep beer fresh for any great length of time. To keep beer fresher longer, a CO2 system should be used.

Part No.	C383	C384
Size	4"	8"
Material	Brass	
Finish	Plated Brass	

Keg Coupler not Included.

Features

- All metal parts for more durability and life.
- · Include tap & knob.
- Intended for converting a coupler (Keg tap) into a keg party pump.



VERTICAL PUMP ADAPTER

C397 Part No.

Features

- The Vertical Converter is designed for a pump to screw in the top.
- The hex nut on the bottom will screw on to a keg coupler.
- The two prongs are designed for air line and beer line attachments.





VERTICAL CONVERTER WITH 4" DURALE METAL PUMP

Part No.	C547
PVC Vinyl Hose	2ft. (3/16" x7/16")
PVC Vinyl Hose	1ft. (5/16")
Metal Pump Barrel Height	4"
Metal Pump Material	Brass
Hose Length	2 Feet
Metal Pump Finish	Plated Brass

Features

- Includes stainless steel worm clamp and beer washer.
- Intended for converting a keg coupler into a party pump.



A SYSTEM PARTY COUPLER WITH METAL PUMP

Part No.	C368	C369
keg coupler Type	A System	A System
Metal Pump Barrel Height	4"	8"
Metal Pump Material	Brass	Brass
Hose Length	2 Feet	2 Feet
Metal Pump Finish	Plated Brass	Plated Brass

Feature

- Keg Coupler & Plastic Faucet Included.
- With Release Valve.



G SYSTEM PARTY COUPLER WITH METAL PUMP

Part No.	C856	C857
keg coupler Type	G System	G System
Metal Pump Barrel Height	4"	8"
Metal Pump Material	Brass	Brass
Hose Length	2 Feet	2 Feet
Metal Pump Finish	Plated Brass	Plated Brass

Feature

- Keg Coupler & Plastic Faucet Included.
- With Release Valve.



D SYSTEM CO2 PARTY DISPENSING SYSTEM

The ultimate way to dispense Draft beer to a party. No need to pump the keg as with a traditional party pump. Just open the faucet and let the beer flow.

C483 Part No.

Regulator Single Gauge Primary Regulator

Keg Coupler System D System

Plated Brass Standard US Faucet with Knob Faucet

Gas cylinder and Keg not included.



S SYSTEM CO2 PARTY DISPENSING SYSTEM

The ultimate way to dispense Draft beer to a party. No need to pump the keg as with a traditional party pump. Just open the faucet and let the beer flow.

C484 Part No.

Regulator Single Gauge Primary Regulator

Keg Coupler System S System

Faucet Plated Brass Standard US Faucet with Knob

Gas cylinder and Keg not included.



A SYSTEM UPRIGHT ROD PICNIC SYSTEM WITH 8" METAL PUMP

C863 Part No.

Featues

- *8" Tall plated brass metal hand pump.
- *High gloss black plastic faucet knob.
- "Study 12" upright dispensing rod assembly (Made from solid brass then nickel plated for a professional look)





G SYSTEM WITH UPRIGHT ROD

C363 Part No.

Featues

- *8" Tall plated brass metal hand pump.
 *High gloss black plastic faucet knob.
 *Study 12" upright dispensing rod assembly (Made from solid brass then nickel plated for a professional look)



CLAMP SET - RESTRICTED ROD

C151 Part No.

Material Stainless Steel 304



Features

Clamp set for holding metal pump to upright rod C150.



PUMP CONNECTOR

Connects any picnic pump to CO2 inlet side of coupler. Use Short length of 5/16" red vinyl hose.

Part No.	C396
Barb Size	3/8"
Material	Brass
Finish	Plated Brass

Features

With hose barb.





BEER PUMP ROD

Upright dispensing rod for event dispensing.

Part No.	C150
Size	12"
Material	Brass
Finish	Plated Brass

Tap & Knob not included

Features

- This is the replacement metal beer pump rod with beer faucet attached which comes installed on keg beer pumps.
- One end has the beer faucet attach and the other end has the beer hex nut which will attach to the tap of beer keg tapping fittings.





FAUCET CLEANING JUMPER HOSE

Complete assembly for cleaning two faucet at a time.

C157 Part No. Length 2.5ft

Features

- Food grade vinyl tubing.
 Includes line, tail piece, cleaning attachment & washers.
- Clear beer tube line.



C110



BEER HOSE ASSEMBLY

Part No.	C110	C111
Hex Nut	On One End	On Both Ends
Length	5ft.	5ft.
Tube ID X OD	3/16"x7/16"	3/16"x7/16"

Features

- 3/16" I.D vinyl tubing is used for the beer hose in most applications where the distance between the keg and the faucet is less than 5".

 • This hose will not rot, swell of dry out and is unaffected by normal beer line cleaning chemicals.



BEER HOSE ASSEMBLY -3/8" I.D.VINYL X 6' LONG

Tail piece with standard wing nut fittings on both ends.

C136 Tube ID 3/8" Length 6ft.

Features

NSF Approved Hose.



SANKEY PUMP ADAPTER

For use on Sankey pumps C393/394.

C399 Part No.

Thread 5/8 BSP x Pump Thread

Material Brass Finish Plated Brass

Finish







TAILPIECE-CHROME PLATED BRASS

Part No.	C101	C102	C103	C104	C105
Tube ID	3/16"	1/4"	5/16"	3/8"	1/2"
Material	Brass				

TAILPIECE-STAINLESS STEEL 304

Plated Brass

Part No.	C240	C246	C285	C286	C287
Tube ID	3/16"	1/4"	5/16"	3/8"	1/2"
Material	Stainless Steel 304				
	_				

TAILPIECE-STAINLESS STEEL 316


Part No.	C441	C442
Tube ID	3/16"	1/4"
Material	Stainless Steel 316	



TAILPIECE FOR EUROPEAN FAUCET SHANKS

For European Faucet Shanks

l	Part No.	C229	C233
	Internal Hose Diameter	7mm	10mm
	Material	Stainless Steel 304	Stainless Steel 304






SILICON WASHER

For Flow Control Tap.

Part No.	C810
Size	-
Material	Silicon





STAINLESS STEEL 304 CROSS

	Part No.	C436	C437	C438
ı	Tube ID	3/16"	1/4"	5/16"
	Material	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304



Used to split your gas line into a three way splitter.



ELBOW

For European Faucet Shanks.

C813 C814 Part No. Tube ID 7mm 10mm Material Stainless Steel 304





ELBOW NIPPLE

Part No.	C603	C172	C621	C661
Pipe ID	3/16"	1/4"	3/16"	1/4"
Material	Brass	Brass	Stainless Steel 304	Stainless Steel 304
Finish	Plated Brass	SS Polished	SS Polished	SS Polished

Beer nut not included(order separately).







SWIVEL 90° ELBOW (90° TAIL PIECE)

For use with Keg coupler probe - D System and S System Coupler. Use in situations where there is a possibility of the bear hose being linked.

C706 Part No. Pipe ID 7mm Material Stainless Steel 304



Features

- Self-sealing with built in O-ring.Fits standard Keg coupler probes.



C405 C401

SPLICERS / PIPE JOINERS

Part No.	Splicer ID	Material
C401	3/16"x3/16"	Stainless Steel 304
C402	3/16"x1/4"	Stainless Steel 304
C405	1/4"x1/4"	Stainless Steel 304
C409	3/8"x1/4"	Stainless Steel 304
C415	3/8"x3/8"	Stainless Steel 304
C904	3/16"x5/16"	Stainless Steel 304
C905	3/16"x3/8"	Stainless Steel 304
C906	1/4"x5/16"	Stainless Steel 304
C907	5/16"x5/16"	Stainless Steel 304
C908	5/16"x3/8"	Stainless Steel 304
C909	3/8"x1/2"	Stainless Steel 304
C924	1/2"x1/2"	Stainless Steel 304
C406	7x7mm	Stainless Steel 304
C407	10x10mm	Stainless Steel 304
C408	4.4x7mm	Stainless Steel 304







KEG COUPLER ELBOW

Use for low clearance applications to prevent kinked beer hose.

Part No.	C600	C601
Angle	90°	90°
Thread	7/8"-14 (5/8" BSP)	7/8"-14 (5/8" BSP)
Material	Stainless Steel 304	Brass
Finish	Brushed	Plated Brass





KEG COUPLER ELBOW WITH FEMALE THREADS ON BOTH SIDES

C663 Part No. 7/8"-14 (5/8" BSP) (S_mxS_m) Thread Material Stainless Steel 304 Finish Brushed





BEER "Y" FITTING

Easily dispense at two faucets from one keg. Simply connect on the beer connection of any

Part No.	C137	C599
Bore ID	3/8"	3/8"
Height	2-1/2"	2-1/2"
Thread	5/8" BSP	5/8" BSP
Material	Plated Brass	Stainless Steel 304





WALL BRACKETS

C158 C152 Part No. Bore ID 3/8" 3/8" Thread 5/8" BSP 5/8" BSP Stainless Steel 304 Stainless Steel 304 Material Way 3 WaY 2 Way







ELBOW

C135 Part No. Pipe ID 3/16"x3/16" Material Stainless Steel 304 C114 1/4"x1/4" Stainless Steel 304




Features

- Stainless steel elbow fitting 1/4" x 1/4" I.D. tubing.
 Stainless steel elbow 3/16" I.D. Vinyl to 3/16" I.D. Vinyl.



U BEND

C251 C252 Part No. Large Small Type **Outer Diameter** 3/8" BSP 3/8" Size (LxW) 3"x2-5/8" Fits 5/16" ID vinyl to 5/16" ID vinyl Material Stainless Steel 304 SS







TEE

C134 Part No. Bore ID 3/16" Stainless Steel 304 Material



C434

1/4"

Stainless Steel 304





WALL BRACKETS

C365 C398 Part No. Barb 3/8" 3/8"x3/8" Thread 5/8" BSP Material SS 304 SS 304

Features

- Wall Bracket 304 grade stainless steel 3/8" bore.
 Thread 7/8"-14 (5/8" BSP) Keeps beer lines organized.

View complete range of FITTINGS visit www.kromedispense.com





SS WALL BRACKET 3/8" BARB STRAIGHT

C498 Part No. Barb Size 3/8"x3/8"

Stainless Steel 304 Material





STEP LESS CLAMP (SS)



C022 C027 C140 C188 C189 C020 C021 Part No. 10.5mm 13.3mm 17mm 10mm 11.9mm 14.8mm 16.8mm Size

Material Stainless Steel 304

For Vinyl Hose ID 3/16" 5/16" 3/8"

Features

 For low profile or heavy duty clamping, for demanding applications where lighter, thin-walled hose or tubing is being used



WORM CLAMP



C225 Part No. 3/16" to 5/16" Fits Vinyl Hose ID 7/16" to 5/8" Material Stainless Steel 304

Features

• Screw Type clamps for beer vinyl hose.



PLASTIC PYTHON CLAMP

C070 Part No. Width 38mm Material Plastic Colour Black

Features

• Clamps diiferent sizes of python during cellar installation.





SS ELBOW

C645 Part No.

Material Stainless Steel 304 **Thread Size** 1/4"x3/8" ID



Features

• Stainless steel elbow fitting 1/4" x 3/8" I.D. tubing.




CONNECTING HEX NIPPLE-G5/8"X G5/8"

C427 C428 Part No. 10mm Bore Stainless Steel 304 Stainless Steel 304 Material



Features

- Reducing hex nipple connecting to threaded pipes.
- · Available in 2 sizes.





MALE HOSE STEM

Hose barb to male pipe thread

Part No.	C525	C526
Barb	5/16"	3/16"
Thread	1/4"	1/4"
Material	Plated Brass	Plated Brass

Features

- 1/4" NPT X 5/16" I.d. brass male hose stem.
- 1/4" NPT X 3/16" I.d. brass male hose stem.



ECONOMY BEER NUT-CHROME PLATED BRASS

C733 Part No. Material Brass Finish Plated Brass **Thread Size** 5/8" x 14 BSP

Features

 Economy beer line nut is used in conjunction with tail pieces and rubber washer to make draft beer hose connections.





BEER NUTS

C181 C193 Part No. Hex Nut Wing Nut Туре

Standard US Beer Nut thread (5/8" BSP) Thread

Material Brass Finish Plated Brass

Features

• A beer line hex nut is used in conjunction with tail pieces and rubber washer to make draft beer hose connections.



NEOPRENE WASHER

C116 Part No. Material Rubber

Features

• For Beer nuts (Beer Washer). A food grade ployethylene washer seals the connection under the tail piece and nut to avoid leaks. It is recommended to always use a washer at these beer connections.



ELBOW FOR EUROPEAN FAUCET SHANKS 10MM ID

C813 C814 Part No. Material Stainless Steel 304 Stainless Steel 304 Finish SS Polished SS Polished Diameter 7 mm I.D 10 mm I.D



BEER MANIFOLD-2 WAY

C832 Part No. Stainless Steel 304 **Mounting Bracket** Integrated Inlet Connection 1/2" O.D **Outlet Connection** 7/8" - 14 (5/8" BSP)





BEER MANIFOLD-3 WAY

C833 Part No.

Material: Stainless Steel 304 **Mounting Bracket:** Integrated Inlet Connection: 1/2" O.D

Outlet Connection: 7/8" - 14 (5/8" BSP)



BEER MANIFOLD-4 WAY

C834 Part No. **Mounting Bracket:** Integrated 1/2" O.D Inlet Connection:

7/8" - 14 (5/8" BSP) **Outlet Connection:**



2 WAY BEER MANIFOLD WITH TWO BARB

C835 Part No. Performance 2 stations Material Stainless Steel 304 **Mounting Bracket** Integrated

Inlet Connection (2) 1/2" O.D

7/8" -14(5/8" BSP) (U.S beer industry Standard) **Outlet Connection** Distribute Beer from Serving vessel or keg to multiple stations. Mounts securely to wall.



3 WAY BEER MANIFOLD WITH TWO BARB

C836 Part No. 3 stations Performance

Material Stainless Steel 304 **Mounting Bracket** Integrated Inlet Connection (2) 1/2" O.D

Outlet Connection 7/8" -14(5/8" BSP) (U.S beer industry Standard)

Distribute Beer from Serving vessel or keg to multiple stations. Mounts securely to wall.







4 WAY BEER MANIFOLD WITH TWO BARB

C837 Part No. 4 stations Performance Material Stainless Steel 304 **Mounting Bracket** Integrated Inlet Connection (2) 1/2" O.D

Outlet Connection 7/8" -14(5/8" BSP) (U.S beer industry Standard)

Distribute Beer from Serving vessel or keg to multiple stations. Mounts securely to wall.





KEG COUPLER CHECK BALL LIFTER

*Save time while cleaning your draft beer system! *Insertion of this device into the bottom of the coupler probs lifts the check ball, permitting cleaning solution to flow through the coupler when cleaning your system. This saves time by eliminating the need to remove the coupler while cleaning the system.

C400 Part No.

Stainless Steel & Acid Proof Plastic Material



DUPLEX CLEANING COUPLER

Duplex coupling (Male to Male). Duplex permits two lines to be cleaned at one time.

C215 Part No.

US Beer Nut Thread (5/8" BSP) Thread

Material Stainless Steel 304



CLEANING BRUSH

For beer faucet cleaning.



Diameter (OD) 18mm (Bigger Brush) / 13mm (Smaller Brush) 17.9mm

Wire Thickness 1.95mm 1.5mm Wire Material Stainless Steel Stainless Steel



C217



NYLON HOSE BRUSH

Beer line cleaning Brush to reach through beer lines to Brush build up off the walls.

C269 Part No. Size 3/8"OD. x 66" L

NYLON HOSE BRUSH LONG

C282 Part No. 3/16"OD.x 66"L Size





CLEANING BRUSHES

For Keg Couplers.

Part No.	C655	C656
Brush Size	5/8"x4-1/4"x8-1/2"	7/8"x4-1/2"x8-3/4"
Used with Keg Coupler	D System (American Sankey)	A System (European Sankey)
	S System (European Sankey)	G System (European Sankey)
	M System (European Sankey)	

U System (European Sankey)



CLEANING ATTACHMENT

For Faucet / Shank cleaning.

	0.450
Part No.	C156
Material	Brass
Thread Size	1-1/8" x 18 UNEF
Finish	Plated Brass

Features

Solid brass faucet cleaning attachment that has the U.S. Beer Industry Standard.



CLEANING KIT WITH 4" METAL PUMP

Part No.	C546
Bottle Size	1Ltr.

Features

• Include 4" metal pump, 1 quart shatter proof plastic cleaning bottle, cleaning brush and standard wrench.



FAUCET CLEANING ATTACHMENT FIXED

C299 Part No. 7.5mm ID x 10.15mm OD Size Length 33.90 Thread Size 1-1/8" x 18 UNEF Material Brass Finish Plated Brass

Features

Solid brass faucet cleaning attachment that has the U.S. Beer Industry Standard.





WALL MOUNTED HOLDER FOR KEG COUPLER

C700 Part No.

Material Stainless Steel 304

Coupler Hook Plastic



BEER LINE CLEANING FLUSHER DOUBLE ADAPTOR

C899 Part No.

Material Stainless Steel 304



Features

• For use with 2 into C395.



CLEANING ADAPTOR-WALL / BASE MOUNT

C378 C379 Part No. Туре G System A System Inlet Size 5/16" 5/16" Material Plated Brass Plated Brass Mounting System Brackets & With Screw Brackets & With Screw



CLEANING ADAPTOR-WALL / BASE MOUNT

C480 Part No. Туре S System Material Stainless steel Inlet Size 5/16"

Mounting System Brackets & With Screw







SERIES NIPPLE FOR CLEANING ADAPTOR

C480.01 Part No. Material Stainless steel Inlet Size 5/16" Thread Size 3/8" x 19 BSP

Features

Help to all of cleaning adaptor in series.





SANKEY CLEANING ADAPTER

Attach your beer line cleaning equipment to your coupler with this reliable connector with male threading one side of this fitting onto the coupler while the opposite side connects to any standard beer line hex nut or wing nut.

C395 Part No. Material Brass Finish Plated Brass Thread Size 5/8x14" BSP

Without ball lifter. Suitable for D&S Keg Coupler





CLEANING ADAPTER FOR PARTY PUMP

Just connect with C546 and clean your Picnic Pumps (C385 / C386) easily.

C391 Part No. Material Brass Finish Plated Brass **Thread Size** 1-1/8"x18 UNEF

Features

Designed by Krome.



CO2 ACCESSORIES



WALL BRACKET WITH NUT FOR CO2 REGULATOR

(For economy series gas regulators)

C366 Part No.

Material Stainless Steel 304 Finish Stainless Steel






CO2 ADAPTER FOR CONVERTING CGA 320 FEMALE (US) TO DIN 477 MALE (EUROPEAN)

C698 Part No. Material Brass

Thread DIN 477 x CGA-320

Finish



PRIMARY REGULATOR REPAIR KIT

C943 Part No.

Features

 This is a huge feature on these compressors, inasmuch as on other compressors you have to replace the complete regulator assembly.



STAR SEAL

C414 Part No. Material Brass Thread M8 x 1.5

Features

- Free hex key included.
- Permanently stays in place will not fall out.
- Installs easily with a 5/32" Allen wrench.
- Replaces the built in seal on the regulator stem.
 Keeps your air tank working properly.

CO2 ACCESSORIES



REGULATOR GAUGE CAGE SET

Protects regulator gauges from damage. Works with Micro Matic and NADS regulator.


Part No.

C133


Material Finish

Stainless Steel 304 SS Polished













CO2 REGULATOR REPLACEMENT GAUGE

C001 Part No. Diameter 50mm Thread Connection 1/4" 0-3000PSI Pressure Туре Right Hand Material Polycarbonate Glass

Body Powder Coated Steel



CO2 REGULATOR REPLACEMENT GAUGE

C002 Part No. Diameter 50mm Thread Connection 1/4" Pressure 0-60PSI

Туре **Bottom Connection** Material Polycarbonate Glass Body Powder Coated Steel



CO2 GAS REGULATOR "Y" FITTING

C259 Part No.

Thread size 1/4MPT x 1/4 FPT x 1/4 FPT

Material Brass Finish Plated Brass





CO2 GAS CYLINDER HOLDERS

Prevents cylinder from falling down.

C548 C549 Part No. **Holder for Cylinder** Material Nickle & Powder Coated Steel Finish Plated Brass

Features

A adjustable chain to fit cylinder diameter.



DRAFT BEER NITROGEN REGULATOR TO CO2 TANK DAPTER

C295 Part No. Material Brass

Thread Size CGA-320 x CGA 580

Features

- Quickly converts a Nitrogen into a CO2.
- If you own a nitrogen regulator and want to use it on a Co2 tank, then the following adapter can save you money! Simply screw on one side of the adapter to your nitrogen regulator and the other side to your Co2 tank valve.
- Connects a nitrogen regulator to CGA-320 Co2 tank valve.



DRAFT BEER CO2 REGULATOR TO NITROGEN TANK DAPTER

C296 Part No. Material Brass

Thread Size CGA-320 x CGA 580

Features

- Quickly converts a CO2 regulator into a Nitrogen regulator.
- Converts female CGA-320 threads to make CGA-580 threads.
- Ideal for occassional use of mixed gas cylinders with Nitrogen connection.



SECONDARY REGULATOR JOINER

C071 Part No. **Thread Size** 1/4"x1/4" Finish Plated Brass Material Brass



CO2 BULK HEAD


C075 C076 Part No. Length 2-7/8" Thread 1/4" MFL 1/4" MFL Stainless Steel 304 Material Stainless Steel 304



Features

• This bulkhead allows you to keep your CO2 outside of the refrigerator or freezer and run your gas line through the wall without drill a large whole. The rubber gaskets included seal of the whole or the gas and gives.





CHROME PLATED BRASS GAS DISTRIBUTOR WITH PRV

All shutoff valves have inbuilt check valve mechanism.

C411 C412 C413 Part No. Output 3 Way 4 Way

Intel Connection 3/8" OD (To fit 5/16" ID gas hose) **Outlet Connection** 3/8" OD (To fit 5/16" ID gas hose)

Pressure Release Valve (PRV) 60 PSI **Body Material** Brass **Body Finish** Plated Brass **Bracket Material** Stainless Steel 304





All shutoff valves have inbuilt check valve mechanism.

C005 C003 C004 Part No. 3 Way 2 Way 4 Way Output

Intel Connection 3/8" OD (To fit 5/16" ID gas hose **Outlet Connection** 3/8" OD (To fit 5/16" ID gas hose)

Pressure Release Valve (PRV) Without PRV **Body Material** Brass **Body Finish** Plated Brass **Bracket Material** Stainless Steel 304









GAS DISTRIBUTORS WITHOUT PRV

Part No.	C038	C039	C040
Output	2 Way	3 Way	4 Way

(Without 60 PSI PRV) with 1/4" MFL Connection

Features

Valves are inbuild with check valve shutoff.




ALUMINIUM 2 WAY GAS DISTRIBUTOR

Part No.	C421	C422	C423
Output	2 Way	3 Way	4 Way

Intel Connection 3/8" OD (To fit 5/16" ID gas hose) **Outlet Connection** 3/8" OD (To fit 5/16" ID gas hose)

Pressure Release Valve (PRV) Without PRV **Body Material** Aluminium



ALUMINIUM 2 WAY GAS DISTRIBUTOR

Part No.	C429	C430
Output	5 Way	6 Way
Intel Connection	3/8" OD (To fit 5/16" ID gas hose)
Outlet Connection	3/8" OD (To fit 5/16" ID gas hose)
Pressure Release Valve (PRV)	Without PRV	
Rody Material	Δluminium	





MFL NIPPLE GAS SHUT OFF VALVE WITH RETURN CHECK VALVE

C449 Part No. Material Brass

Thread 1/4" x 1/4"-19 BSPT



5/16" ID GAS SHUT OFF VALVE - WITH RETURN CHECK VALVE

C446 Part No. Material Brass Thread 1/4" x 19 BSPT



PLUG FOR AIR DISTRIBUTOR

C016 Material Thread Size 1/4" x 19 BSPT Finish Plated Brass



HEX JOINER

For aluminium air distributors.

C410 Part No. Size 1"x1/4" NPT Material Brass Finish Brass



BEER GAS SHUT OFF VALVE

C424 Part No. Right Hand 1/4" NPT (National Pipe Threads) **Thread Size** 3/8" O.D. (To Fit 5/16"I.D. Gas Hose) Barb Material







C112 C113



C194



C195



C196

HOSE PLUGS

For Vinyl tube / hose fitting.

C113 C112 Part No. For Tube ID 3/8" Material Stainless Steel 304 Finish Stainless Steel





1/2" 3/16"

C194

C195

1/4"

C196

5/16"





SWIVEL NUT

Fits home brew coupler with thread. For Ball lock gas in / out liquid couplers.

C707 Part No. Thread 7/16" GAS Material Brass Finish Plated Brass





FLARE SWIVEL NUT

C153 C221 C222 Part No. 3/16" Size Barb Material Stainlesss Steel 303

Nut Material Brass Nut Finish Plated Brass

Features

- Attaches to Hose, required in case of using MFL Disconnect.
- These swivel nuts are made from nickel plated brass and stainless steel barb.



FLARE NYLON WASHER

Part No.	C159	C223
Size	1/4"	3/8"
Material	Nylon	Nylon

Features

 Replacement tapered nylon washers for " flare fittings. Washer is not needed for keg disconnects as they have a built in plastic area that helps to seal. You will need this on the flared shut off where it is metal against metal.



TUBE SIZING ROD

Excellent tool for holding splicers and tailpieces.

C200 Part No.

3/16", 1/4", 5/16", 3/8" For Tube ID Material Stainless Steel 304

Features

Easily identify tubing ID.



TEFLON TAPE

Part No.	C154	C155
Width	1/2"	3/8"
Length	420"	420"
Material	Teflon (PTFE)	Teflon (PTFE)

Features


• Used on NPT threads 1/2 inch to 2 inch, often labeled "gas tape".






RUBBER BUNG

C017 Part No. Rubber Material Bottom Diameter 48mm **Upper Diameter** 58mm







TAIL PIECE WITH CONNECTOR

Fits inside a hex nut or wing nut instead of a barb. Provides a 1/4" MFL connection, so that you can easily switch between commercial kegs and home brew kegs.

C115 Part No. Thread 1/4 " MFL Material Stainless Steel 304

Finish Stainless Steel





CORNY PLUG ADAPTER

For quick disconnection. Put a corny style quick disconnect anywhere with this handy adapter.

C118 Part No.

Male End 19/32" - 18, Female End 1/4" Female flare (FFL) Threads

Stainless Steel 304 Material





ADAPTER

C109 Part No. 7/16" UNC Female Thread Material Brass Finish Plated Brass

Faucet coupling not included / Order separatelty.

Features

Fits CMB threaded quick disconnects.







STANDARD WORT CHILLER WITH GARDEN HOSE FITTINGS

C219 Part No. Coil OD 3/8" Coil Length 25 ft. Material Copper

Includes Hose and Nut for Home / Kitchen tap.



STANDARD STAINLESS STEEL WORT CHILLER

C281 Part No. 3/8" OD Size Coil Length 25 Ft

Material Stainless Steel 304



Features

- With Garden hose fittings.
- Brass Garden hose connection nut on other end.
 Includes 7 feet clear hose.
- Shipped in multiple of 2 pcs.



RACKING CANE

C165 C171 Part No. 3/8"x24" 3/8"x30" Size Material Stainless Steel 304 Finish SS Polished



RACKING CANE REPLACEMENT TIP

C166 Part No. Colour Black Material Plastic Finish Glossy





BASIC KETTLE CONVERSION KIT

C218 C762 Part No. SS 304 Material Brass



Features

- Easily converts any kettle without welding.
 All that is needed us 7/8" holesaw, step drill or hole punch & pliers.



C762



SANITARY BALL VALVE

C763 Part No.

Stainless Steel 304 Material Thread Size 1/2" NPT Threads



Features

- *Sanitary ball valves are easy to take a part and clean.
 *The seals are made of Teflon to resist high temperatures.
 *Comes with a locking hande to prevent accidental opening.



SS BULK HEAD

C767 Part No. Thread 1/2" NPT

Material Stainless Steel 304 Finish Stainless Steel







1/2" STAINLESS STEEL KETTLLE CONVERSION KIT COUPLING

C167 Part No. 1/2" NPT Thread

Stainless Steel 304 Material Finish Stainless Steel





CARBOY HANDLE

For lifting empty glass carboys.

Part No.	C169	C170
Lifting Capacity	5 gallons carboy	6.5 gallons carboy
Material	Nickle Plated Steel	Nickle Plated Steel
Color	Blue	Orange

Features

• Wing nut on both sides for easy Tigtining operation.



JET BOTTLE WASHER

Jet Bottle Washer attaches to your faucet, this device delivers a blast of water to clean bottles and carboys.

Part No.	C148
Material	Brass
Finish	Plated Brass

Features

- A durable brass construction ensures the product durability.
- With glass hose fitting that connects easily to a utility sink.



FAUCET ADAPTER

Fits most house hold faucets. Suitable for C148.

C248 Part No. Material Brass Finish Plated Brass

Features

- Adapts your jet bottle faucet so you can screw on a garden hose.
- Fits both male & female faucet threads to adapt to a standard hose.





MALE QUICK DISCONNECT

Fits in C753.

C751 Part No. Length 45.65mm Barb Size 1/2"

Material Stainless Steel 304



Features

 The quickly disconnect will head wold pressure for typical brewing application when moving liquids at 60 Psi or less.



MALE QUICK DISCONNECT

Fits in C753.

C752 Part No. 45.07mm Length Thread 1/2" MPT Material Stainless Steel 304





FEMALE QUICK DISCONNECT

Quickly and effortlessly switch lines between fittings with this stainless steel quick disconnect. Move tubing from one ketle to another. Easily switch lines between pumps, chillers, hoprockets or other in line eqipment. Stainless steel design is safe for your wort just what a pro brewery would use.

C753 Part No. 55.35mm Length Barb Size 1/2"

Material Stainless Steel 304





KEG POST BALL LOCK CONVERSION KIT

The fittings and springs are made of stainless steel.

C850 Part No.

Stainless Steel 304 Material



Features

- Ball lock posts easily attach to sankey coupler air & beer line fittings.
- Makes it easy toggle between commercial & homebrew beers.
- Includes both gas & liquid side ball lock posts.





KEG LID O-RING

Replacement O-Ring for cornelius and home brew kegs / Soda Tanks. Superior material for long life.

C249 Material Rubber

Features

This is the O-ring that goes on the top of keg lids. This is a universal for almost all keg lids.



GAS DIP TUBE - GAS IN

This is a standard Dip Tube for Gas-IN on a Cornelius keg. Corenlies Gas Dip Tube includes new O-ring. Many Firestone kegs used a smaller diameter plastic tube. We would recommend drilling out this hole and replacing with this metal dip tube.

Part No.	C918	C919
Material	Stainless Steel 304	Stainless Steel 304
Length	38mm	335mm

Features

- Stainless Steel.
- Includes O-Ring.



Dip Tube O-Ring

C916 Part No. Material Rubber

Features

• Use this dip tube O-ring to replace worn out rings inside your keg. This ring will fit both the gas in and liquid out dis tubes of a cornelius keg.



O-RING REPLACEMENT SET FOR CORNELIUS KEGS

C970 Part No. Rubber Material

Features

Keg O-rings replacement set this 5 piece set will easily replace any rotted O-rings for your ball lock cornelius keg.



STAINLESS STEEL FALSE BOTTOM

C380 C381 C367 C377 C389 Part No. 13.39" 15.35"

Material Stainless Steel 304 Finish SS Polished



Features

- Make sure to choose the appropriate size for your kettle.
- Great for making the switch to all grain brewing.
- Converts your brewpot into a mash tun.
- Made of high quality perforated stainless steel.



HEX NUT FOR FALSE BOTTOM ELBOW

C380.2 Part No. **Hex Diameter** 29.9mm Thread 1/2" BSP Material Stainless Steel 304



Features

Different sizes available according to false bottom size.



FALSE ELBOW

C380.3 Part No. Thread 1/2" MPT Material Stainless Steel





KETTLE DIVERTOR FOR BOIL KETTLE

C750 Part No. Material Stainless Steel

Designed to pull form the side of the kettle inserted of the middle. This helps reduce trub from entering your fermenter. By adjusting the height you can also control how much wort you leave behind in the Kettle. Has a 1/2 inch MPT fitting on the end, that screws into the inside coupler of o ut heavy duty kettles. Will only work if your kettle has a 1/2 inch FPT coupler on the inside of the Kettle.





WINE AGITATING ROD (W.A.R.)

One of the most importants of wine making is removing the gas after fermentation. De-gassing insures faster and more effective cleaning and aging.

Part No.

C162


Material

Stainless Steel 304



Features

- Eliminates the hassle of shaking and stirring.
- Connects to standard drill machine.





CARBOY BRUSH- STAINLESS STEEL

Part No.

C889

Features

This long handled brush is bent at a ninety-degree angle to clean those tough to get at spots in any size carboy.



PURE SCREEN

The Pure Screen is a welded stainless steel screen that slips onto your racking cane or keg dip tube and filters out fruit or dry hops from the fermenter or whole hops and trub from the kettle. Also allows dry hopping to be done directly in the keg. Stainless steel construction makes it easy to sanitize (do not use bleach!). Not recommended for use with plastic racking tubes or plastic fermenters it can cause scratching and possibly infection. Pellet hops have a tendency to clog the pure screen-it works far better with whole hops.

C711 Part No. ID 3/8"

Material Stainless Steel 304





BREW SCREEN

The brew valve accessory that turns your pot into a mash tun. All stainless steek, 3/8" or 1/2" male NPT thread to fit the brew valve.

C717 C720 Part No. Size Thread 3/8" NPT 1/2" NPT Material Stainless Steel 304






BAZOOKA T SCREEN

C718 Part No. Length Outlet 1/2" Copper

Features

- Excellent for straining out leaf hops in the boil kettle.
- Stainless Steel construction.



MASH PADDLE

Part No. Type Length Material Finish

C996 C997 With Holes Without Holes 30" Stainless Steel 304 Stainless Steel 304 Brushed Brushed







HEAVY DUTY STAINLESS STEEL TONG

Perfect for retrieving items from your bowl.

C998 Part No.

16" Length

Material Stainless Steel 304 Finish SS Polished





STIRRING SPOON

For stirring a mash corrugated design prevents bending.

C999 Part No.

Length

Material Stainless Steel Finish SS Polished



Features

- Perfect for stirring mixed drinks.
- Rugged spoon is great for stirring a mash.



CASK COOLING COIL

This coil will fit a 9 or 10 gallon of Ale.

C277 Part No.

Stainless Steel 304 Material



Features

- Stainless steel cooling element for safe and reliable cooling of casks on the back bar(or almost any environment).
- Supplied with plain ends for connection to pipework with 5/16" push-on fittings.



THERMOWELL STOPPER

C952 Part No.

Material Stainless Steel 304



- This carboy thermowell is used in conjunction with the digital controller.
 It is exceptionally useful during the start of fermentation when the lag b/w ambient temperature in the refrigerator and actual temperature in the carboy can very greatly.







NYLON HOP STRAINING BAG

Part No.	C771	C772	C773
Size	8" × 9"	8" x 15"	24" x 24"
Material	Nylon		

Weave type About 0.11mm Thickness Weight 30g/m2

Features

Width

- Mesh no- 100 mesh.
 For use with fresh or pelletised hops.
 Closable with string.

1.27mm



HOP & GRAIN STAINING BAGS

Works great for your finishing hops.

Part No.	C163	C164
Product	Hop Straining Bag	Grain Straining Bag
Size	9" x 5"	13" x 11.5"
Material	Nylon Mesh	Nylon Mesh

- Very easy to clean.
 For use with fresh or pelletised hops.
- Closable with string.







SMALL DOUBLE JIGGER

C551 Part No.

Material Stainless Steel 304 Finish Stainless Steel



Features

- One side is 1 ounce and the other side is a 1/2 ounce (30/60).
- Double Jigger.
- Accuracy counts.
- · A handy tool to have when mising works.



LARGE DOUBLE JIGGER

C552 Part No.

Stainless Steel 304 Material Finish Stainless Steel



Features

- One side is 1 ounce and the other side is a 1/2 ounce (30/60).
- Double Jigger.
- Accuracy counts.
- A handy tool to have when mising works.



STAINLESS STEEL ICE BUCKETS WITH LID

C561 Part No.

Stainless Steel 304 Material Finish Stainless Steel



Features

- Finish Brushed.
- · Double wall design.
- Capacity 1-1/2 litres.
- Classic look.



BOTTLE CAP CATCHER

For temporary storage of bottle caps opened with bottle opener.

C573 Part No.

Height Total Height 13"

Basket Height 10"

5-1/4" Width Depth 3-1/8"

Material Stainless Steel 304

Finish Brushed



- Has a professional brushed stainless steel finish.
- Works with the wall mounted bottle opener.
 Hang it from a bucket or hang it from your belt for maximum accessibility.
- Its flat design makes storage a no brainer! Don't pay more else where.

Kramedispense

BAR ACCESSORIES



HAND-HELD BOTTLE OPENER

C570 Part No.

Stainless Steel 304 Material Finish Stainless Steel

Features

• It has a full circle coined opener that helps you hook bottle caps and open them in the traditional method. Features a durable (bake on) powder coat finish. Made with thick gauge, stainless steel. A necessary addition to your bartending supplies at a great price.



HAND BOTTLE OPENER -PREMIUM

C590 Part No.

Material Stainless Steel 304 SS Polished Finish



Features

- Grip handle resists slippage & provides the comfort needed for frequent use.
- Suitable for users from the apprentice to the demanding professional.



BOTTLE OPENER - WALL MOUNT

To open beer bottles.

C571 Part No.

Stainless Steel 304 Material SS Polished Finish



Features

- With exposed screws.
- Stainless steel solid construction.
- Choice of Brushed or Polished Stainless steel finish.
- Great use in Kitchens, Bars, Hotel Rooms, Pubs etc.



BOTTLE OPENER - PREMIUM

To open beer bottles.

C572 Part No.

Material Stainless Steel 304 SS Polished Finish



- With concealed screws (included).
- Attach to nearly any surface with included mounting screws.
- Perfect tool for your home, bar, pub & restaurant.





COCKTAIL SHAKERS - STANDARD

To shake and blend cocktails.

Part No.	C160	C197	C198	C199	C161						
Capacity	acity 200ml 2		300ml	400ml	500ml						
Material	Stainless Steel	Stainless Steel 304									
Finish	SS Polished										



Features

- With concealed screws (included).
- Rust resistant.
- Still Proof.
- Different sizes available.



SS MILK PITCHER

Part No.	C055	C056	C057	C058						
Capacity	400ml	700ml	1000ml	1400ml						
Material	Stainless Steel	Stainless Steel 304								
Finish	SS Polished									
	SS									

Features

- Stainless Steel mirror polish finish.
- Easy to handle.



STAINLESS STEEL WINE COOLER (DOUBLE WALL)

Part No.	C783	C784
Finish	Brushed	SS Polished

- SS with polished exterior.
- Double wall design provides superior installation and p revents condensation on outside.
 lce stays frozen for six hours.
- Inner wall each moulded from a single sheet of steel for leak proof design.







FLUSH-MOUNT FROTHING MILK PITCHER / GLASS RINSER

C335 Part No. Inner Size 6" x 5.5" x 2.5"

Water Inlet 3/8" John Guest (Push in fitting)


1/2" Drain

Material Stainless Steel 304



- Keep your pitchers/glasses clean and cool by locating the rinser next to your espresso machine or beer tower and in between uses give a blast of pressurized water to prepare for next drink preparation.
- You'll save water and time with a pitcher rinser on your espresso bar.
- Replacement parts a.s.No electricity required. Replacement parts are also available.









COUNTER TOP FROTHING MILK PITCHER / GLASS RINSER

C334 Part No.

6" x 5.5" x 2.5" Inner Size

3/8" John Guest (Push in fitting) Water Inlet

Drain 1/2"

Material Stainless Steel 304



Features

- Can be used to rinse cocktail shakers.
- Keep your pitchers / glasses clean and cool by locating the rinser next to your espresso machine or beer tower and in between uses give a blast of pressurised water to prepare for next drink preparation.
- You'll save water and time with a pitcher rinser on your espresso bar.
- Replacement parts are also available.






Cocktail Shaker




Beer Glass to make it Cold



Milk Pitcher









COUNTER TOP KNOCKBOX

C333 Part No.

Material Stainless Steel 304 Weight 1613.75 grams Height 131 mm Length 180mm Width 191 mm



Features

Serve as a container of used coffee ground for simple and convenient disposal.



HUSH GASKET

C334.08 Part No. Material Rubber

- · Cuts noise that comes with the job.
- Hush gasket provide cushions between your knock box/Rinser and counter Top knock box.



BARISTA TOOLS





RECESSED KNOCK BOX

C433 Part No. Material Stainless Steel 304 Weight 570.93 grams Height 99 mm Length 180 mm Width 191 mm



Features

Serve as a container of used coffee ground for simple and convenient disposal.



ESPRESSO COFFEE TAMPER

• MOQ for each colour is 100pc.

		C011	50MM
Base Material	Flat SS 303	C011.51	51MM
Handle	Aluminium Powder Coated	C011.52	52MM
Diameter	iameter 50-58mm		53MM
Diameter of Handle Top	41.90mm	C011.53 C011.54	54MM
Features		C011.55 C011.56	55MM 56MM
Handle available in different of	colours.		
 Laser logo imprinting facility 		C011.57	57MM
 Diameter of base as per the 	requirement.	C011.58	58MM

Part No.

Size

TOOLS





CLAMP CRIMPER - STANDARD (FULL FACE)

C100 Size

Fully Hardened Steel Materia

Features

Anti-slip Rubberized grip.



WRENCH

For Standard Faucet

C187 Part No. Red Vinyl Grip Fully Hardened Steel Material

Finish Plated



FAUCET & HEX NUT WRENCH

One end fits standard faucet coupling nut & other end fits 1" Hex Nut Fitting (US Beer Industry Standard)

C123 Part No. Length Grip Blue Vinyl Material Fully Hardened Steel

Finish Plated



CO2 WRENCH

For Co2 Beer Regulator.

C261 C260 Part No. Standard Offset Type Grip Vinyl

Material Fully Hardened Steel

Finish Plated





DROP FORGED CO2 SPANNERS - DIN 894

C178 C179 Part No. Size 30mm 32mm

Material Chrome Vanadium

Finish Plated



HOSE CUTTER

Part No C482 Blade Stainless Steel **Gripping** Plastic

Features

- It is used to cut PP pipes.
- Easy to use.



PUNCH BLADE ONLY

Part No. C482.01 Blade Stainless Steel

- It is used to cut PP pipes.
- Easy to use.Replacement part of C482.

NOTES





PRODUCT REFERENCE

Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.
C001	K88	C074	-	C151	K72	C227	K30	C301	K35	C374	K43	C445	-
C002	K88	C075	K89	C152	K76	C228	K17	C302	K35	C375	K43	C446	K92
C003	K90	C076	K89	C153	K94	C229	K74	C303	K35	C376	K43	C447	-
C004	K90	C077	-	C154	K94	C230	K24	C304	K35	C377	K101	C448	-
C005	K90	C078	-	C155	K94	C231	K58	C305	K35	C378	K85	C449	K92
C006	-	C079	-	C156	K84	C232	K58	C306	K35	C379	K85	C450	-
C006RC	k45	C080	-	C157	K73	C233	K74	C307	K38	C380	K101	C451	K29
C006RG	k45	C081	-	C158	K76	C234	K36	C308	K38	C380.2	-	C452	-
C007	-	C082	-	C159	-	C235	K78	C309	K38	C380.3	-	C453	-
C0070C	k45	C083	-	C160	K108	C236	-	C310	K38	C381	K101	C454	-
C0070G	k45	C084	-	C161	K108	C237	K83	C311	K38	C382	K20	C455	-
C008	K24	C085	-	C162	K102	C238 C239	K68	C312	K35	C383	K69	C456	-
C009 C010	-	C086 C087	-	C163 C164	K105 K105	C240	- K74	C313 C314	K35 K35	C384 C385	K69 K67	C457 C458	K34
C010	-	C088	-	C165	K105	C241	K/4 K45	C314	K35	C385B	-	C456	-
C011	- K41	C089	-	C166	K96	C242	K45	C316	K35	C386	- K67	C460	K51
C013	K41	C090	_	C167	K98	C243	K46	C317	-	C386B	-	C461	K51
C014	-	C091	_	C168	-	C244	K46	C318	K37	C387	K67	C462	K51
C015	-	C092	_	C169	K98	C245	K24	C319	K37	387B		C463	K51
C016	K92	C093	_	C170	K98	C246	K74	C320	K37	C388	K67	C464	K52
C017	K95	C094	_	C171	K96	C247	-	C321	K37	C388B	-	C465	K52
C018	K38	C095	-	C172	K75	C248	K98	C322	K37	C389	K101	C466	K52
C019	K41	C096	_	C173	K5	C249	K100	C323	K37	C390	K20	C467	-
C020	K78	C097	-	C174	K5	C250	K56	C324	K37	C391	K86	C468	-
C021	K78	C098	-	C175	K6	C251	K77	C325	-	C392	K20	C469	K43
C022	K78	C099	-	C176	K6	C252	K77	C326	K37	C393	K68	C470	K43
C023	-	C100	K112	C177	-	C253	-	C327	K37	C394	K68	C471	-
C024	-	C101	K74	C178	K113	C254	-	C328	K37	C395	K86	C472	-
C025	-	C102	K74	C179	K113	C254G	-	C329	K37	C396	K72	C473	-
C026	-	C103	K74	C180	-	C255	K56	C330	K37	C397	K69	C474	-
C027	K78	C104	K74	C181	K80	C256	K26	C331	K37	C398	K77	C475	-
C028	-	C105	K74	C182	K32	C257	K34	C332	K37	C399	K73	C476	-
C029	K52	C106	K56	C183	K26	C258	K17	C333	K110	C400	K83	C477	-
C030	-	C107	K56	C184	K40	C259	K88	C334	K110	C401	-	C478	-
C031	-	C108	K56	C185	K40	C260	K112	C334.04	K52	C402	-	C479	-
C032	-	C109	K95	C186	K40	C261	K112	C334.08	K110	C403	-	C480	K85
C033	-	C110	K73	C187	K112	C262	K58	C335	K109	C404	-	C480.01	K86
C034	-	C111	K73	C188	K78	C263	K43	C336	K37	C405	-	C481	-
C035	-	C112	K93	C189	K78	C264	K43	C337	K37	C406	-	C482	K113
C036	-	C113	K93	C190	K40	C265	K43	C338	-	C407	-	C482.01	K113
C037	- V01	C114 C115	K77	C191 C192	- VGE	C266 C267	K43	C339 C340	K37	C408 C409	-	C483	K71
C038 C039	K91 K91	C116	K95 K80	C192	K65 K80	C268	K43 K43	C340	K38	C409 C410	- K92	C484 C485	K71 K67
C040	K91	C117	K26	C193	K93	C269	K83	C342	K35	C410	K90	C486	K67
C040	-	C118	K95	C195	K93	C270	K65	C343	K35	C412	K90	C487	K67
C042	K18	C119	K48	C196	K93	C271	-	C344	K36	C413	K90	C488	K67
C043	-	C120	K40	C197	K108	C272	K28	C345	-	C414	K87	C489	K66
C044	_	C121	-	C198	K108	C273	K5	C346	K36	C415	-	C490	K21
C045	-	C122	_	C199	K108	C274	K6	C347	K36	C416	_	C491	-
C046	-	C123	K112	C200	K94	C275	K6	C348	K36	C417	K46	C492	K20
C047	-	C124	-	C201	K23	C276	-	C349	K37	C418	-	C493	K20
C048	-	C125	K39	C201.07	K23	C277	K104	C350	-	C419	K48	C494	K20
C049	-	C126	K39	C202	K23	C278	-	C351	-	C420	-	C495	-
C050	-	C127	K39	C203	K23	C278G	-	C352	-	C421	K91	C496	K20
C051	-	C128	K48	C204	K35	C279	-	C353	-	C422	K91	C497	-
C052	-	C129	K48	C205	K24	C280	-	C354	K35	C423	K91	C498	K78
C053	-	C130	K38	C206	K24	C281	K96	C355	K35	C424	K92	C499	-
C054	-	C131	K56	C207	K56	C282	K83	C356	K36	C425	K36	C500	K17
C055	K108	C132	K56	C208	K56	C283	K26	C357	K36	C426	K37	C501	K5
C056	K108	C133	K88	C209	-	C284	K47	C358	K36	C427	K79	C502	K6
C057	K108	C134	K77	C210	-	C285	K74	C359	K51	C428	K79	C503	-
C058	K108	C135	K77	C211	K26	C286	K74	C360	K53	C429	K91	C504	-
C059	K18	C136	K73	C212	K36	C287	K74	C360.1	-	C430	K91	C505	-
C060	K18	C137	K76	C213 C214	K36	C288 C289	K36	C360.50	K54	C431 C432	-	C506	K17
C061	K18	C138	K53		K36		K36	C361 C362	K28		-	C507	K17
C062 C063	K18 -	C139 C140	K51 K78	C215 C216	K83 K56	C290 C291	K36 K36	C362	K24 K72	C433 C434	- K77	C508 C509	K6 K8
C063	K53	C140 C141	K76 K54	C216	K83	C291	-	C364	K72 K67	C434 C435	K17 K18	C509 C510	K8
C064 C065	-	C141	N04 -	C217	K97	C292	-	C365	K77	C435	K74	C510 C511	-
C066	-	C142	-	C218	K96	C294	-	C366	K87	C430	K74 K74	C511	K4
C067	-	C144	-	C220	K56	C294G	-	C367	K101	C437	K74	C512	-
C068	_	C145	K56	C221	K94	C295	K89	C368	K70	C439	-	C514	-
C069	-	C146	-	C222	K94	C296	K89	C369	K70	C440	-	C515	K11
C070	K78	C147	-	C223	K94	C297	-	C370	-	C441	K74	C516	K16
C071	K89	C148	K98	C224	K56	C298	_	C371	K43	C442	K74	C517	K16
C072	-	C149	K55	C225	K78	C299	K84	C372	K43	C443	-	C518	K16
C073	-	C150	K72	C226	K30	C300	K36	C373	K43	C444	-	C519	-

PRODUCT REFERENCE



	Page No.	Part No.		Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.		Part No.	Page No.
C520	K16	C591	- V17	C668	K42	C739	K32	C816	K46	C893	-	C970	K100
C521 C522	K16	C592 C593	K17	C669 C670	K42	C740	-	C817	K50	C894	-	C971	-
C523	K16 K7	C593	K4 -	C670 C671	K42 K42	C741 C742	- K63	C818 C819	K50 K50	C895 C896	-	C972 C973	-
C524	-	C595	-	C672	K42	C742	-	C820	-	C897	-	C974	K10
C525	K79	C596	K21	C673	K42	C744	K64	C821	-	C898	_	C975	-
C526	K79	C597	-	C674	K42	C745	K64	C822	K96	C899	K85	C976	_
C527	-	C598	-	C675	K42	C746	-	C823	-	C900	-	C977	_
C528	K48	C599	K76	C676	K42	C747	-	C824	K57	C901	-	C978	-
C529	K4	C600	K76	C677	K42	C748	-	C825	-	C902	-	C979	-
C530	K11	C601	K76	C678	K42	C749	-	C826	K4	C903	-	C980	-
C531	K14	C602	K50	C679	K42	C750	K101	C827	K4	C904	-	C981	-
C532	K14	C603	K75	C680	K42	C751	K99	C828	-	C905	-	C982	-
C533	K12	C604	K51	C681	K42	C752	K99	C829	K48	C906	-	C983	-
C533G	-	C605	K51	C682	K42	C753	K99	C830	-	C907	-	C984	K48
C534	K12	C606	K50	C683	K42	C754	-	C831	-	C908	-	C985	K10
C534G	-	C607	K50	C684	K42	C755 C756	-	C832	K80 K81	C909 C910	-	C986	K10 -
C535 C536	-	C608 C609	K50 K50	C685 C686	K42 K46	C757	K66	C833 C834	K81	C911	-	C987 C988	-
C537	_	C610	K54	C687	K46	C758	-	C835	K81	C912	-	C989	_
C538	_	C611	K50	C688	K46	C759	_	C836	K81	C913	_	C990	_
C539	K4	C612	K50	C689	K46	C760	-	C837	K82	C914	-	C991	-
C540	K7	C613	K50	C690	K42	C761	-	C838	-	C915	-	C992	-
C541	K18	C614	K50	C691	K42	C762	K97	C839	-	C916	K100	C993	-
C542	K18	C615	K50	C692	K42	C763	K97	C840	-	C917	-	C994	-
C543	K18	C616	K50	C693	K42	C764	K19	C841	-	C918	K100	C995	-
C544	K65	C617	K50	C694	K42	C765	-	C842	-	C919	K100	C996	K103
C545	K32	C618	K50	C695	K42	C766	-	C843	-	C920	-	C997	K103
C546	K84	C619	K50	C696	K46	C767	K97	C844	-	C921	K35	C998	K104
C547	K70	C620	K50	C697	K40	C768	-	C845	-	C922	K35	C999	K104
C548	K89	C621	K75	C698	K87	C769	-	C846	-	C923	K12	C2500	K30
C549	K89 -	C622	K51	C699	- V0E	C770 C771	K56	C847	-	C924 C925	-	C4103	K55 K55
C550 C551	K106	C623 C624	K51 K50	C700 C701	K85 K63	C771	K105 K105	C848 C849	-	C925	-	C4104 C4162	K58
C552	K106	C625	K50	C701B	-	C773	K105	C850	K99	C927	-	04102	1100
C553	K3	C626	K50	C702	K30	C774	-	C851	-	C928	K36		
C554	-	C627	K50	C703	K63	C775	_	C852	-	C929	-		
C555	-	C628	K50	C703B	-	C776	-	C853	-	C930	-		
C556	-	C629	K50	C704	K64	C777	-	C854	-	C931	-		
C557	-	C630	K50	C704B	-	C778	-	C855	K68	C932	-		
C558	-	C631	K50	C704BJ	-	C779	-	C856	K70	C933	-		
C559	K7	C632	K50	C705	K64	C780	-	C857	K70	C934	-		
C560	-	C633	K51	C705B	-	C781	-	C858	-	C935	-		
C561	K106	C634	K51	C706	K75	C782	-	C859	-	C936	-		
C562 C563	-	C635 C636	-	C707 C708	K93 K19	C783 C784	K108 K108	C860 C861	-	C937 C938	-		
C564	K3	C637	-	C708	K15	C785	K69	C862	-	C939	_		
C565	-	C638	_	C710	K35	C786	-	C863	K71	C940	_		
C566	-	C639	K52	C711	K103	C787	_	C864	-	C941	_		
C567	-	C640	K57	C712	K62	C788	-	C865	K66	C942	-		
C568	-	C641	K52	C713	K65	C789	-	C866	-	C943	K87		
C569	K5	C642	K52	C714	-	C790	-	C867	-	C944	-		
C570	K107	C643	-	C715	K61	C791	-	C868	K6	C945	-		
C571	K107	C644	-	C716	-	C792	-	C869	K6	C946	-		
C572	K107	C645	K79	C717	K103	C793	-	C870	-	C947	-		
C573 C574	K106 -	C646 C647	K50 -	C718 C719	K103	C794 C795	K68 -	C871 C872	-	C948 C949	-		
C575	-	C648	-	C719	K19 K103	C796	-	C873	-	C950	-		
C576	_	C649	-	C721	-	C797	-	C874	-	C951	-		
C577	_	C650	_	C722	K45	C798	-	C875	_	C952	K104		
C578	-	C651	-	C723	K60	C799	_	C876	-	C953	K54		
C579	-	C652	-	C724	-	C800	K58	C877	-	C954	K54		
C580	-	C653	-	C725	K30	C801	K55	C878	-	C955	K54		
C581	-	C654	-	C726	-	C802	-	C879	-	C956	K8		
C582	K13	C655	K84	C726G	-	C803	K55	C880	-	C957	K9		
C583	-	C656	K84	C727	-	C804	K64	C881	-	C958	K54		
C583G	-	C657	-	C728	-	C805	K64	C882	-	C959	K54		
C584	-	C658	-	C729	-	C806	-	C883	-	C960	-		
C584G		C659	-	C730	K28	C807	-	C884	-	C961	-		
C585	- 1/12	C660	- ¥75	C731	-	C808	- KEO	C885	K40	C962	-		
C586 C587	K13 -	C661 C662	K75 -	C732 C733	- K79	C809 C810	K50 K74	C886 C887	-	C963 C964	-		
C588	-	C663	K76	C734	K79 K12	C811	-	C888	-	C965	-		
C588G	-	C664	-	C735	-	C812	K80	C889	K102	C966	_		
C589	-	C665	-	C736	-	C813	K75	C890	-	C967	-		
C589G	-	C666	-	C737	K63	C814	K75	C891	-	C968	-		
C590	K107	C667	-	C738	K63	C815	-	C892	-	C969	-		